

LIST OF CENTRAL PUBLIC INFORMATION OFFICER & FIRST APPELLATE AUTHORITIES OF DOORDARSHAN

NODAL OFFICER (RTI) Capt. MANEESH CHUGH , ADDL. DIRECTOR GENERAL (Admn.)

CENTRAL PUBLIC INFORMATION OFFICER (RTI CELL) : Dr. Sanjay Kumar, DY. DIRECTOR (ADMN.)

ASSISTANT PUBLIC INFORMATION OFFICER (RTI) : Smt. Nalini Mathur, SECTION OFFICER, RTI CELL

| SL. No. | Name & Designation of CPIO | Office Address & Telephone No. | Name of Designation of FAA | Office Address & Telephone No. | Subject Matter |
|----------------|--|--|---|--|---|
| A | B | C | D | E | F |
| 1 | Sh. G. Sajan Dy. Director Prog. | DG: Doordarshan, Doordarshan Bhawan, Mandi House, New Delhi-110001. Tel. No. 011-23114308 | Sh. P. K. Subhash Addl. Director General Prog. | 5th, Floor, DG: Doordarshan, New Delhi Tel. No. 011-23114506 | Central Zone Policy & Coordination, Arun Prabha Channel, Content Sourcing & Planning including. |
| 2 | Ms. Nasreen Khan Sr. Administrative Officer | DG: Doordarshan, Doordarshan Bhawan, Commercial Wing, DG:DD, Tel.011- | Sh. P. Das, Dy. Director General, | DG: Doordarshan Commercial Wing, DG:DD, Tel.23114044 | DCS |
| 3 | Sh. R.A. Warshi Deputy Director General (Engg.) | No. 1 (G. Floor) Akashwani Bhawan, New Delhi-110001. Tel. No. 23421253 Fax No. 23421271 | Sh. P. K. Subhash Addl. Director General Prog. | 5th, Floor, DG: Doordarshan, New Delhi Tel. No. 011-23381370 | Archives & Archival Policy |
| 4 | Deputy Director General (Prog.) Sh. M.L. Meena, DDA Sh. Mohal Lal DDE Marcel Tirkey PEX Sh. B.K. Mohapatra Sr. AO | CPC, Doordarshan, Sirifort, Khelgaon, New Delhi. Tel. No. 011-26492123 | Addl. Director General Prog. | CPC, Doordarshan, Khelgaon, New Delhi Tel. No. 011-26497009 | Overall in-charge of CPC Agriculture and Narrowcasting DD-Kisan |
| 5 | Sh. A.J. Mohanta Asstt. Director Prog. | DG: Doordarshan, Doordarshan Bhawan, New Delhi-110001. Tel. No. 011-23114337 | Sh. Satyajtt Mishra Addl. Director General Prog. | Prasar Bharati, Sectt. Tower-C, New Delhi. Tel. No.23118812 | National, P-IV & North Zone, |
| 6 | Sh. S.N. Singh, Deputy Director General (Engg). | Doordarshan Kendra, Mandi House, New Delhi-110001. Tel. No. 23097540 | Sh. Ashok Gupta Addl. Director General Prog. | Prasar Bharati, Sectt. Tower -c, 4th, Floor, New Delhi Tel. No. 011-23118813 | DD-India (International Channel) & IT Cell |
| 7 | Shri S. K. Meena Dy. Director AR Unit | DG: Doordarshan, Doordarshan Bhawan, New Delhi-110001. Tel. No. 23386612 | Lt.Col. Kalyan Das Dy. Director General Admn. | 5 th Floor, DG:Doordarshan, New Delhi-110001. Tel No. 011-23114536 | Audience Research Monitoring of Cable Act TAM and related work |

| SL. No. | Name & Designation of CPIO | Office Address & Telephone No. | Name of Designation of FAA | Office Address & Telephone No. | Subject Matter |
|----------------|---|---|--|--|---------------------------------|
| 9 | Sh. Pramod Kumar Singh Asstt. Director Programme | DG: Doordarshan, Doordarshan Bhawan, New Delhi-110001. Tel. No. 011-23114311 | Sh. P. K. Subhash Addl. Director General Prog. | 5th, Floor, DG: Doordarshan, New Delhi Tel. No. 011-23381370 | Arun Prabha North East Zone, |
| 10 | Shri A.K. Srivastava, Assistant Director Prog. | DG: Doordarshan, Doordarshan Bhawan, New Delhi-110001. | ADG, DG: Doordarshan, New Delhi. | 5th, Floor, DG: Doordarshan, New Delhi. | DD-Urdu |
| 11. | Shri Ajay Kumar Asstt. Director Prog. Films | DG: Doordarshan, Doordarshan Bhawan, New Delhi. | Dr. Sangeeta Goyal Addl. Director General Prog. | DG:Doordarshan, New Delhi-110001. Tel No.011-23114532 | Matter related to Film Section. |
| 12. | Ms. Taranjit Kaur Asstt. Director Prog. | DG: Doordarshan, Doordarshan Bhawan, Mandi House, New Delhi | Dr. Sangeeta Goyal Addl. Director General Prog. | DG:Doordarshan, New Delhi-110001. Tel No.23381538 | DD-Bharati |
| 13. | Sh. Abhishek Aggarwal Asstt. Director Prog. | DG:Doordarshan, Doordarshan Bhawan, New Delhi Tel. No.23114309 | Sh. P.K. Subhash, Additional Director General (Programme) | Room No. 505 DG: Doordarshan New Delhi-01. 011-23114506 | DD-Kashir |

APPELLATE AUTHORITY

| SL. No. | Name of Appellate Authority & Designation | Office Address & Telephone No. | Information Commissioner | CIC, Office Address & Telephone No. | Subject Matter |
|----------------|---|--|---------------------------------|--|--|
| 1 | Shri P. K. Subhash Additional Director General (Programme) | Doordarshan Bahwan, New Delhi -110001 Tel. No. 23114506 | Information Commissioner | Central Information Commission August Kranti Bhawan, 2 nd Floor, Bhikaji Cama Place, New Delhi- 110066 Tel No. 011- 26105682 | DDK, Delhi, Central Zone DD-Archives, North East Zone & East Zone, Policy & Coordination, Arun Prabha Channel, Content Sourcing & Planning including, SFC, Content Sourcing & Planning Including SFC, Slot Sale, RSM, AFP, CCU, PSBT, IDPA etc..DD-National. DDK Kashir. |
| 2 | Sh. M. S. Thomas Addl. Director General (Programme) | Doordarshan Kendra, Mumbai. 022-24938444 | Information Commissioner | Central Information Commission August Kranti Bhawan, 2 nd Floor, Bhikaji Cama Place, New Delhi-66 Tel No. 011-26105682 | DDK Mumbai, Additional Charge Mumbai, West Zone., Sahydri Channel. |
| 3 | Dr. Rajkumar Upadhyay Additional Director General (Programme) | Doordarshan Kendra, Bengaluru. | Information Commissioner | Central Information Commission August Kranti Bhawan, 2 nd Floor, Bhikaji Cama Place, N D-66 Tel NO. 011-26105682 | Doordarshan Kendra, Bengaluru. South Zone |
| 4 | Sh. Ashok Gupta Additional Director General (Programme) | Prasar Bharati, Sectt. Doordarshan Bhawan, Tower-C, New Delhi-110001. Tel. No. 011-23118813 | Information Commissioner | Central Information Commission August Kranti Bhawan, 2 nd Floor, Bhikaji Cama Place, New Delhi- 110066 Tel.26105682 | DCD, CRD Division, DD-India, |
| 5 | Sh. Ashok Gupta Addl. Additional Director General (DCS) | Prasar Bharati, Sectt. Doordarshan Bhawan, Tower-C, New Delhi-110001. Tel. No. 011-23118813 | Information Commissioner | Central Information Commission August Kranti Bhawan, 2 nd Floor, Bhikaji Cama Place, New Delhi- 110066 Tel No.26105682 | DCS |

| | | | | | |
|-----|---|---|--------------------------|--|--|
| 6 | Shr. Satyajit Mishra Addl. Director General | Room No. 408, Prasar Bharati, Sectt. Tower –C, Doordarshan Bhawan New Delhi, Tel. No. 23118812 | Information Commissioner | CIC August Kranti Bhawan, 2 nd Floor, Bhikaji Cama Place, New Delhi- 110066 Tel No. 011- 26105682 | DD-Sports |
| 7 | Sh. Sunil, Additional Director General (Engg.) | Room No. 512, DG: Doordarshan Doordarshan Bhawan New Delhi, 011-23114512 | Information Commissioner | Central Information Commission August Kranti Bhawan, 2 nd Floor, Bhikaji Cama Place, New Delhi- 110066 Tel No.26105682 | DTH International Relation (IR) (Temporarily Charge) |
| 08 | Dr. Sangeeta Goel Addl. Director General Prog. | Doordarshan Bahwan, New Delhi -110001 011-23114532 | Information Commissioner | Central Information Commission August Kranti Bhawan, 2 nd Floor, Bhikaji Cama Place, New Delhi- 110066 Tel No.-26105682 | Film Decision, , DD-Bharati |
| 09 | Shri Kalpana Singh Addl. Director General Finance | DG: Doordarshan, Doordarshan Bhawan, New Delhi. 011-23114550 | Information Commissioner | Central Information Commission August Kranti Bhawan, 2 nd Floor, Bhikaji Cama Place, New Delhi- 110066 Tel No. 011- 26105682 | Finance |
| 10. | Shri A.K. Srivastava Addl. Director General Programme | CPC, Doordarshan, New Delhi Tel. No. 26497009/26492123 | Information Commissioner | Central Information Commission august Kranti Bhawan, 2 nd Floor, Bhikaji cama Place, New Delhi- 110066 Tel. No. 011-26105682 | Hoo & Hop Of DD Kisan as well as overall in-charge of CPC w.e.f. date of taking over charge of DD Kisan/CPC, Krishi Darshan (Broadcasting & Narrowcasting). |

| SL. No. | Name of Appellate Authority & Designation | Office Address & Telephone No. | Information Commissioner | Office Address & Telephone No. | Subject Matter |
|----------------|--|---|---------------------------------|---|--|
| 13 | Addl. Director General Prog. | DG: Doordarshan, Doordarshan Bhawan, New Delhi. 011-23387846 | Information Commissioner | Central Information Commission August Kranti Bhawan, 2 nd Floor, Bhikaji Cama Place, New Delhi-110066 Tel No. 011-26105682 | Social Media, Monitoring, Review and Supervision of Production of Documentaries/ features on Sansad Adarsh Gram Yojana. IT Cell, DDK, Leh, DDK, Jammu, DDK, Srinagar |
| 14 | Lt.Col. Kalyan Das Dy. Director General Admn. | 5 th Floor, DG:Doordarshan, New Delhi-110001. Tel No. 011-23114536 | Information Commissioner | Central Information Commission August Kranti Bhawan, 2 nd Floor, Bhikaji Cama Place, New Delhi-110066 Tel No. 26105682 | Matter related to: Legal Cell, A&G, Security Cell, S-I & S-IA , SC-ST Cell, Cash, Scor-I & Scor-II Confidential Section. |
| 15. | Sh. Mukesh Kumar Garhwal Dy. Director General Admn. | 5 th Floor, DG: Doordarshan, New Delhi-110001. Tel. No. 011-23114526 | Information Commissioner | CIC, August Kranti Bhawan, 2 nd Floor, Bhikaji Cama Place, New Delhi-110066 Tel No. 011-26105682 | Matter related to. GRC, S-II & S-IIA, S-III, S-IV, S-V, Grievance, RTI Cell, CWG, HIRS/Estt.Parliament Cell |

| SL. No. | Name & Designation of CPIO | Office Address & Telephone No. | Name of Designation of FAA | Office Address & Telephone No. | Subject Matter |
|----------------|---|---|--|--|---|
| 1 | Sh. Anurag Kulshrestha Deputy Director General (Engg.) Studio Design | DG: Doordarshan, New Delhi-110001. Tel. No. 011-23114408 | Sh. J. K. Chandira, Additional Director General (Engg.) | Room No. 530, DG: Doordarshan Doordarshan Bhawan New Delhi. 011-23114540 | Planning system & Design of Studio Project and DD Bhawan Project. |
| 2. | Sh. A.K. Jha, Deputy Director General (Engg.) Satellite Design | DG: Doordarshan, New Delhi-110001.Tel. No. 011-23114622 | Sh. Sunil, Additional Director General (Engg.) | Room No. 512, DG: Doordarshan Doordarshan Bhawan New Delhi, 23385183 | DTH, Programming, Planning system Design and implementation of Satellite related schemes. |
| 3 | Sh. D.P. Singh Deputy Director General (Engg.), Transmitter Maintenance | DG: Doordarshan, New Delhi-110001.Tel. No. 011-23114421 | Sh. Anurag Kulshrestha Additional Director General (Engg.) | DG: Doordarshan Doordarshan Bhawan New Delhi, Tel. No. 011-23114408 | Transmitter Maintenance & Operation |
| 4 | Sh. Abhishek Agarwal, Deputy Director General (Engg.& Prog.), HQ | DG: Doordarshan, New Delhi-110001. Tel. No. 011-23114423 | Shri Ajay Gupta Additional Director General (Engg.) | Room No. 503, DG: Doordarshan Doordarshan Bhawan New Delhi, 011-23114503 | OB Coverage's (except CW Games)/Revenue Budget of Kendras National Resource Exchange Programme (NREP) |
| 5 | Sh. D.P. Singh, Deputy Director General (Engg.) Transmitter Design & Spectrum Management | DG: Doordarshan, New Delhi-110001. Tel. No. 011-23114421 | Sh. Sunil, Additional Addl. Director General (Engg.) | Room No. 512, DG: Doordarshan Doordarshan Bhawan New Delhi, 011-23114512 | Freq. Assignment SACFA Meeting & Conference Planning and design of Transmitters System |
| 6 | Sh. S.B. Mukesh, Deputy Director General (Engg.) CP&S, | CP&S, Doordarshan, Siri Fort, Khelgaon, New Delhi-110049.Tel. No. | Shri Ajay Gupta Additional Director General (Engg.) | Room No. 503, DG: Doordarshan Doordarshan Bhawan New Delhi. 011-23114503 | CP&S, |

| | | | | | |
|----|--|---|--|--|--|
| 7. | Sh. J.M. Kharche Deputy Director General (Engg.) Studio Maintenance and Operaton | DG: Doordarshan, New Delhi-110001. Tel. No.011-23386612 | Shri Ajay Gupta Additional Director General (Engg.) | Room No. 503, DG: Doordarshan Doordarshan Bhawan New Delhi. 011- 23114503 | Studio Maintenance and Operation |
| 8. | Smt. Archana Manoj Gupta Deputy Director General (Engg.) Satellite Maintenance | DG: Doordarshan, New Delhi- 110001. Tel. No. 011- | Sh. Anurag Kulshrestha Additional Director General (Engg.) | DG: Doordarshan Doordarshan Bhawan New Delhi, Tel. No. 011- 23114408 | Operation and Maintenance of Satellite services. |
| 9 | Sh. R.K. Verma, Deputy Director General (Engg.) Budget & Estimate | DG: Doordarshan, New Delhi- 110001. Tel. No. 011-23114412 | Sh. J. K. Chandira, Additional Director General (Engg.) | Room No. 530, DG: Doordarshan Doordarshan Bhawan New Delhi. 011- 23114540 | Budget & Estimate |
| 10 | Sh. R.K. Verma, Deputy Director General (Engg.) Co-ordination | DG: Doordarshan, New Delhi- 110001.Tel. No. 011-23114412 | Sh. J. K. Chandira, Additional Director General (Engg.) | Room No. 530, DG: Doordarshan Doordarshan Bhawan New Delhi. 011- 23114540 | Monitoring & Coordination of Project/VIP of Project/VIP reference & Parliament |
| 11 | Sh. Manoj Gupta, Deputy Director General (Engg.) Engineering Purchase | DG: Doordarshan, New Delhi- 110001.Tel. No. 011-23114431 | Sh. Sunil, Additional Director General (Engg.) | Room No. 512, DG: Doordarshan Doordarshan Bhawan New Delhi. 011- 23114512 | Procurement of equipment's under 'Capital' |
| 12 | Shri J.M. Kharche Deputy Director General (Engg.) HRD | DG: Doordarshan, New Delhi-110001. Tel.No.011-23114618 | Shri Ajay Gupta Additional Director General (Engg.) | Room No. 503, DG: Doordarshan Doordarshan Bhawan New Delhi. 011- 23114503 | HR related issues of Engineers. |

| SL. No. | Name & Designation of CPIO | Office Address & Telephone No. | Name of Designation of FAA | Office Address & Telephone No. | Subject Matter |
|---------|---|--|--|---|---|
| 1. | Ms. Madhumita Soreng Deputy Director (Admn.) | DG: Doordarshan, New Delhi-110001. Tel. No. 011-23114133 | Lt. Col. Kalyan Das Dy Director General Admn. | 5 th Floor, DG: Doordarshan, Mandi House, New Delhi-110001. Tel. No. 011-23114536 | Matter related to:- A&G Purchase, Procurement, Supply of Stationery, Furniture Fixtures, Office Equipment & Machinery, Conveying permission to Kendras for purchase of Stationery, Furniture, Office Equipment & Machineyr, Transport, Staff Cars of DG: DD. Printing & Binding requirements of the Directorate, Telephones Residential Telephones, Mobile Phones, Maintenance of leanliness and sanitation in the premises of the DG:DD., Fax, Tele fax, Photostate Services, Library, Allotment of Rooms to Sections, Officers, Supervision of R&I Unit, Matters relating to hospitality, Procurement and supply of books and periodicals on GOI rules instructions etc., supervision of Gacilitation Counter, Advertising and Publicity. / |

| SL. No. | Name & Designation of CPIO | Office Address & Telephone No. | Name of Designation of FAA | Office Address & Telephone No. | Subject Matter |
|---------|---|--|--|---|---|
| 2 | Ms. Madhumita Soreng Deputy Director (Admn.) | DG: Doordarshan, New Delhi-110001. Tel. No. 011-23114133 | Lt. Col. Kalyan Das Dy. Director General Admn. Lt. Col. Kalyan Das Dy. Director General Admn. | DG: Doordarshan, New Delhi-110001. Tel. No.011-23114536 DG: Doordarshan, Mandi House, New Delhi-110001. Tel. No. 011-23114536 | Matter related to:- S-I Production Asstt., Floor Manager/ Floor Asstt., Scenic Designer, Carpenter, Painter, Tailor, Edit Supervisor, film, Video Editor, Film Processing Supervisor, Sr. Film processor. Matter related to S-IA Video Executive, Cameraman Grade I, II, III, Lighting Asstt., Presentation Announcer, Sr. Presentation Announcer (Jr.) Sound Recordist, Film Projectionist, Lab Asstt. (Sr.) Lab Asstt. (Jr.). Cash Section Preparation and payment of all bills of TA, LTC, OTA, GPF, Medical reimbursement, Conveyance allowance relating to the staff of the Directorate, Preparation and pa |
| 3 | Security Officer | DG: Doordarshan, New Delhi-110001. Tel. No. 011-23114027 | Lt. Col. Kalyan Das Dy Director General Admn. | DG: Doordarshan, Mandi House, New Delhi-110001. Tel.No.011-23114536 | Matter related to:- Security |
| 4 | Sh. V.K. Gupta, Deputy Director (Admn.) | DG: Doordarshan, New Delhi-110001. Tel. No. 011-23114111 | Shri Mukesh Kumar Garhwal Dy. Director General Admn. | DG: Doordarshan, New Delhi-110001. Tel. No. 011-23114526 | Matter related to:-S-IV Asstt. Engineers, Asstt. Station Engineers, Asstt. Directors Engineering, Station Engineer, Deputy Director Engineering, Supdt. Engineers, Director Engineering, Addl. Director General Engineers& E-in-C. Sr. Engineering Asstt., Engineering Assistants, Sr. Technicians, Technicians, Categorization of Kendras Declaration of Head of , |

| | | | | | |
|----|--|--|---|--|---|
| 5. | Dr. Sanjay Kumar Dy. Director Admn. | DG: Doordarshan, New Delhi-110001. Tel. No. 011-23114109 | Shri Mukesh Kumar Garhwal Dy. Director General Admn. | DG: Doordarshan, New Delhi-110001. Tel. No. 011-23114526 Matter related to : S-IIA All administrative posts sanctioned for the Kendras/ Field Units form LDC to Dy. Director Admn. , All Posts sanctioned for the Kendras in the grade of Stenographer Jr. Stenographer Sr. , Hindi Posts, Library Posts, Reception Officers, Security Staff, C.G. Operators, Staff Car, Motor Car/ O.B. Van Drivers, all Group 'D' Posts, air Travel, RTI Matters Applications and Online Applications, Appeals, IInd appeals, CIC Notice, CIC Decision, CPIOs/ A. Authority etc. | Office Legal, Matter related to:- S-II All Administrative post sanctioned for the Hqrs. From LDC to ADG Admn., All posts sanctioned for the Hqrs. In the grade of Stenographers/Pas/PSSs., Security Posts, Library Posts, Drawing Staff, Hindi Posts, Reception Officers, Staff Car Drivers, Caretaker, Cashier , All Group 'D' Posts, Work Allocation of Staff, Casual Bookings of DEOs and Peons. |
| 6. | Shri Rajesh Kumar Gupta Deputy Director (Admn.) | DG: Doordarshan, New Delhi-110001. Tel. No. 011-23114134 | Sh. Mukesh Kumar Garhwal Dy. Director General Admn. | DG: Doordarshan, New Delhi. Tel. No. 011-23114526 | Matter related to:- S-III, Transmission Executive, Property Asstt., Programme Executive, IBPS Officers, Asstt. Director Prog., Asstt. Station Director, Dy. Director (P), Executive Producer, Director Prog. Dy. Director General Prog., Addl. Director General Prog. at Head Quarters and all Doordarshan Kendras. |

| SL. No. | Name & Designation of CPIO | Office Address & Telephone No. | Name of Designation of FAA | Office Address & Telephone No. | Subject Matter |
|---------|--|--|--|--|--|
| 6 | Sh. R.K. Vashishtha Sr. Vigilance Officer | DG: Doordarshan, New Delhi-110001. 23381939 | Shri Harsh Deep Srivastava Chief Vigilance Officer, | Room No. 508 5 th Floor DG: Doordarshan, Doordarshan Bhawan New Delhi. Tel. No.011-23114508 | All Vigilance matter |
| 7 | Sh. Rajesh Chouhan, Deputy Director (Admn.) | DG: Doordarshan, New Delhi-110001. Tel. No. 011-23114110 | Cl. Prem Prakash Rajpurohit Dy. Director General (Finance) Tel. No. 011- | DG: Doordarshan, Mandi House, New Delhi. | Budget (I&II)/ IU |
| 8 | Sh. V.K. Gupta Dy. Director Admn. | DG: Doordarshan, New Delhi Tel. No.23389232 | Sh. Mukesh Kumar Garhwal Dy. Director General Admn. | DG: Doordarshan, New Delhi. Tel. No. 011-23114526 | CWG, Matter related Deputation of DD Officials abroad on Training, Workshop, Coverage, Coverage of Special events etc. Dealing with all personal, Admn. Transfer/ Posting etc. Stringers, Casual Newsreaders etc. And training. HIRS, Estb |
| | Sh. Santosh Kumar Dy. Director Admn. | DG: Doordarshan, New Delhi-110001. Tel. No. 011-23114339 | Sh. Mukesh Kumar Garhwal Dy. Director General Admn. Lt. Col. Kalyan Das Dy Director General Admn. | DG: Doordarshan, New Delhi. Tel. No. 011-23114526 DG: Doordarshan, Mandi House, New Delhi-110001. Tel.No.011-23114536 | Scor-II, SC/ST Cell, Legal Cell S-V, Grievance |

CENTRAL PUBLIC INFORMATION OFFICER & APPELLATE AUTHORITY OF THE OFFICE OF ADG, ENGINEER (NORTH ZONE), ALL INDIA RADIO & DOORDARSHAN, JAMNAGAR HOUSE, SHAHJAHAN ROAD NEW DELHI.

| SL. No. | Name of CPIO & Designation | Office Address & Telephone | F AA & Office Address/Zones | Phone No. | Subject Matter |
|----------------|--|---|--|------------------|---|
| 1 | Sh. Aftab Ahmed, Deputy Director General (Engg.) (Co-ordination- TV Projects) | Additional Director General (North Zone), All India Radio & Doordarshan, Jamnagar House, New Delhi. Tel. No. 23381744 | Sh. O.K. Sharma, Additional Director General (Engg.) (AA) Room No. 503, DG: Doordarshan Doordarshan Bhawan New Delhi, | 23385298 | Project activities in the states of Utter Pradesh, Uttaranchal, Rajasthan, Himachal Pradesh, Jammu & Kashmir, Punjab & Haryana and Union Territories of Delhi and Chandigarh. |
| 2 | Sh. Prakash Veer Deputy Director General (Enng.) (TV-Maintenance) | Additional Director General (North Zone), All India Radio & Doordarshan, Jamnagar House, New Delhi. Tel. No. 23381733 | Sh. A.K. Singh, Additional Director General (Engg.) (North Zone) Jamnagar House, New Delhi. | 23381924 | Operation and maintenance of Doordarshan Stations in the states of Utter Pradesh, Uttaranchal, Rajasthan, Himachal Pradesh, Jammu & Kashmir, Punjab & Haryana and Union Territories of Delhi and Chandigarh. |
| 3 | Sh. M. S. Duhar Deputy Director General (Engg.) (EPC) | Additional Director General (North Zone), All India Radio & Doordarshan, Jamnagar House, New Delhi. Tel. No. 23381740 | Sh. O.K. Sharma, Additional Director General (Engg.) (AA) Room No. 503, DG: Doordarshan Doordarshan Bhawan New Delhi, | 23385298 | Issues relating to staff matters, transfer/posting and cadre control of Subordinate Engineering Staff in the Zone. |
| 4 | Sh. B.S. Joshal, Deputy Director General (Engg.) (Admn. & Finance) | Additional Director General (North Zone), All India Radio & Doordarshan, Jamnagar House, New Delhi. Tel. No. 23387822 | Sh. O.K. Sharma, Additional Director General (Engg.) (AA) Room No. 503, DG: DD Doordarshan Bhawan New Delhi, | 23385298 | Issues relating to Administrative matters, Finance, payments of bills and stores. |

CENTRAL PUBLIC INFORMATION OFFICER & APPELLATE AUTHORITY SOUTH ZONE, CHENNAI

| SL. No. | Name of CPIO & Designation | Office Address & Telephone | F AA & Office Address/Zones | Phone No. | Subject Matter |
|----------------|--|--|---|------------------|---|
| 1 | Sh. D.R. S.A.M. Laxmi, Dy. Director Engg. (Co-ordination-TV Projects) | Additional Director General (South Zone), All India Radio & Doordarshan, Swami Sivananda Salai, Chennai-600005. Tel. No. 044-25385431 | Sh. S. Ramachandran, Additional Director General (Engg.) (Sought Zone)Swami Sivananda Salai, Chennai-600005. | 044-25383173 | 1. Project activities in the States of Andhra Pradesh, Karnataka, Kerala and Tamil Nadu and Union Territories of Andaman & Nicobar Islands, Pondicherry and Lakshadweep. |
| 2 | Sh. K. Thanuvalingam, Deputy Director General (Engg.) (TV-Maintenance) | Additional Director General, (South Zone), All India Radio & Doordarshan, Swami Sivananda Salai, Chennai-600005. Tel. No. 044-25381358 | Sh. N.Thiyagarajan, Additional Director General (Engg.) (Sought Zone)All India Radio & Doordarshan, Swami Sivananda Salai, Chennai-600005. | 044-25360974 | 1. Operation and maintenance of Doordarshan Stations in States of Andhra Pradesh, Karnataka, Kerala and Tamil Nadu and Union Territories of Andaman & Nicobar Islands, Pondicherry and Lakshadweep. |
| 3 | Sh. K. Thanuvalingam, Deputy Director General (Engg.) Deputy Director (Engg.) (EPC) | Additional Director General (South Zone), All India Radio & Doordarshan, Swami Sivananda Salai, Chennai-600005. Tel. No. 044-25360284 | Sh. N.Thiyagarajan, Additional Director General (Engg.) (Sought Zone)All India Radio & Doordarshan, Swami Sivananda Salai, Chennai-600005. | 044-25360974 | 1. Issues relating to staff matters, transfer/posting and cadre control of Subordinate Engineering Staff in the Zone. |

CENTRAL PUBLIC INFORMATION OFFICER (NORTH EAST ZONE)

| | | | | | |
|---|---|---|---|--------------|---|
| 1 | Sh. V.S. Kambliyal Dy. Director General (Engg.) (TV-Maintenance) | Additional Director General, (North East Zone), All India Radio & Doordarshan, Guwahati- 781006 Tel. No. 0361-2230547 | Shri M. N. Ansari, Addl. Director General Engg. North East Zone, AIR & Doordarshan Dr. P.Kakati's Building G.S. Road, Guwahati- 781006 | 0361-2230338 | 1. Operation and maintenance of Doordarshan Stations in the North East States. |
| 2 | Sh. V.S. Kambliyal Dy. Director General (Engg.) (EPC) (AVM) | Additional Director General, (North East Zone), All India Radio & Doordarshan, Guwahati- 781006 Tel. No. 0361-2230327 | Shri M. N. Ansari, Addl. Director General Engg. North East Zone, AIR & Doordarshan Dr. P.Kakati's Building G.S. Road, Guwahati- 781006 | 0361-2230338 | 1. Issues relating to staff matters, transfer/posting and cadre control of Subordinate Engineering Staff in the Zone. |

CENTRAL PUBLIC INFORMATION OFFICER & APPELLATE AUTHORITY (WZ), MUMBAI.

| SL. No. | Name of CPIO & Designation | Office Address & Telephone | F AA & Office Address/Zones | Phone No. | Subject Matter |
|----------------|---|--|---|------------------|---|
| 1 | Smt. Durgesh Nandini Deputy Director General (Engg.) (Co-ordination TV Projects) | Additional Director General (West Zone), All India Radio & Doordarshan, Mumbai-400020. Tel. No. 022-24923623 | Sh. S.K. Arora Addl. Director General Engg. AIR & Doordarshan 101, M.K. Road, Old CGO Building, Mumbai- 400020 | 022-22014287 | 1. Project activities in the States of Gujarat, Maharashtra, Madhya Pradesh, Chhattisgarh and Goa and Union Territories of Daman & Diu and Dadra & Nagar Haveli. |
| 2 | Smt. Shipra Manaraita Deputy Director General (Engg.) (TV- Maintenance) | Additional Director General, (West Zone), All India Radio & Doordarshan, Mumbai-400020. Tel. No. 022-24919345 | Sh. S.K. Arora Addl. Director General Engg. (West Zone), All India Radio, Doordarshan Complex, 10th Floor, P.B. Road, Mumbai-30. | 022-24919341 | 1. Operation and maintenance of Doordarshan Stations in the Stations in the States of Gujarat, Maharashtra, Madhya Pradesh, Chhattisgarh and Goa and Union Territories of Daman & Diu and Dadra & Nagar Haveli. |
| 3 | Ms. Neha Swami, Deputy Director General (Engg.) (EPC) | Additional Director General (West Zone), All India Radio & Doordarshan, Mumbai-400020. Tel. No. 022-22053051 | Sh. S.K. Arora Addl. Director General Engg. (West Zone) AIR & Doordarshan 101, M.K. Road, Old CGO Building, Mumbai- 400020. | 022-22017049 | 1. Issues relating to staff matters, transfer/posting and cadre control of Subordinate Engineering Staff in the Zone. |
| 4 | Sh. C.K. Omprakash, Deputy Director General (Engg.) (Admn. & Finance) | Additional Director General, (West Zone), All India Radio & Doordarshan, Mumbai-400020. Tel. No. 022-22053176 | Sh. S.K. Arora Addl. Director General Engg. AIR & Doordarshan 101, M.K. Road, Old CGO Building, Mumbai- 400020 | 022-22014287 | Issue relating to Administrative matters, Finance, payment of bills and stores. |

CENTRAL PUBLIC INFORMATION OFFICER & APPELLATE AUTHORITY (EAST ZONE), KOLKATA.

| SL. No. | Name of CPIO & Designation | Office Address & Telephone | F AA & Office Address/Zones | Phone No. | Subject Matter |
|----------------|---|--|--|------------------|---|
| 1 | Sh. Ved Prakash, Deputy Director General (Engg.) (Co-ordination- TV-Projects) | Additional Director General, (East Zone), All India Radio & Doordarshan, Golf Green, Kolkata-700095. Tel. No. 033-24235337 | Sh. L.K. Pradhan Addl. Director General (East Zone), AIR & DD, 18/3, US Sarani Golf Green Kolkata-95. | 033-24235037 | Project activities in the states of Bihar, Orissa, Jharkhand and West Bengal and the North-East States. |
| 2 | Sh. Nazrul Islam, Deputy Director General (Engg.) (TV-Maintenance) | Additional Director General, (East Zone), All India Radio & Doordarshan, Golf Green, Kolkata-700095. Tel. No. 033-24138792 | Sh. L.K. Pradhan Addl. Director General (East Zone), AIR & DD, 18/3, US Sarani Golf Green Kolkata-95. | 033-24235037 | Operation and maintenance of Doordarshan Stations in the States of Bihar, Orissa, Jharkhand and West Bengal. |
| 3 | Sh. P.P. Pal, Deputy Director General (Enng.) (EPC) | Additional Director General, (East Zone), All India Radio & Doordarshan, Golf Green, Kolkata-700095. Tel. No. 033-22438547 | Sh. L.K. Pradhan Addl. Director General (East Zone), AIR & DD, 18/3, US Sarani Golf Green Kolkata-95. | 033-24235037 | 1. Issues relating to staff matters, transfer/posting and cadre control of Subordinate Engineering Staff in the Zone. |

CENTRAL PUBLIC INFORMATION OFFICER DOORDARSHAN KENDRAS.

| SL. No. | Name of CPIO & Designation | Office Address & Telephone | F AA & Office Address/Zones | Phone No. | Subject Matter |
|----------------|--|--|---|---|--|
| 1 | Sh. U.K. Sahoo Asstt. Engineer | Doordarshan Kendra, PO-A.D. Nagar, Agartala-799003. Tel. No. 0381-2370343 | Sh. P. K. Subhash Addl. Director General Prog. | 5th, Floor, DG: Doordarshan, New Delhi Tel. No. 011-23381370 North East Zone | In all matters viz. Programme, Engineering, News and Administration. |
| 2 | Ms. Wonchan Ramsan PEX | Doordarshan Kendra, Durtlan, Aizawal-796025. Tel. No. 0389-2361167 | Sh. P. K. Subhash Addl. Director General Prog. | 5th, Floor, DG: Doordarshan, New Delhi Tel. No. 011-23381370 North East Zone | In all matters viz. Programme, Engineering, News and Administration. |
| 3 | Sh. Kamendra Sarabhai, Deputy Director General (Engg.) | Doordarshan Kendra, Drive-in-Road, Thaltej, Ahmedabad-380054. Tel. No. 079-26853174 | Shri M.S. Thomas Additional Director General (Programme) (West Zone), Marketing Division (West Zone) Doordarshan Kendra Worli, Mumbai- 400030. | 022-24964832 West Zone | In all matters viz. Programme, Engineering, News and Administration. |
| 4 | Sh. S.P. Jaiswal, Director Engineer | Doordarshan Kendra, Lajpat Rai Marg, Allahabad-211002. Tel. No. 0532-2441365 | Shri P. K. Subhash Additional Director General (Programme), 5th Floor, DG: Doordarshan, Mandi House, New Delhi-110001. | 011-23381370 Central Zone | In all matters viz. Programme, Engineering, News and Administration. |
| 5 | Sh. Anil Mangalgi, Deputy Director General (Engg.) | Doordarshan Kendra, J. C. Nagar, Bangalore-560006 Fax No. 080-23333098. Tel No. 080-23333831 | Dr. Rajkumar Upadhyay Addl. Director General (Prog.) Doordarshan Kendra, J. C. Nagar, Bangalore-560006 Tel. No. 08023333831 | 022-24964832 South Zone | In all matters viz. Programme, Engineering, News and Administration. |
| 6 | Sh. Ashok Kumar Singh, Deputy Director Engineering | Doordarshan Kendra, Near Lal Phatak, Budaun Road, Bareilly- Tel. No. 0581-2517230 | Shri P.K. Subhash Additional Director General (Programme), 5th Floor, DG: Doordarshan, Mandi House, New Delhi-110001. | 011-23381370 Central Zone | In all matters viz. Programme, Engineering, News and Administration. |

| SL. No. | Name of CPIO & Designation | Office Address & Telephone | F AA & Office Address/Zones | Phone No. | Subject Matter |
|---------|--|---|--|---|---|
| 7 | Dr. Ratna Purkayastha Asstt. Director Prog. Dr. Raj Kumar Nahar Asstt. Director Prog. | Doordarshan Kendra, Bhawani Patna Naktiguda- 766001. Tel. No. 06670- 232254 | Sh. P. K. Subhash Addl. Director General Prog. | 5th, Floor, DG: Doordarshan, New Delhi Tel. No. 011-23381370 East Zone | In all matters viz. Engineering, News All Programme Matters All Administrative Matter |
| 8 | Sh. Ashish Potnis Dy. Director General (Engg) Dr. Sanjay Kumar Asstt. Director Programme | Doordarshan Kendra, Shamla Hills, PB No.1, Bhopal- 462013. Tel. No. 0755-2660222 DDK, Bhopal | Shri P.K. Subhash Additional Director General (Programme), 5th Floor, DG: Doordarshan, Mandi House, New Delhi- 110001. | 011-23381370 Central Zone | In all matters viz. Engineering, News and Administration. Programme related matters |
| 9 | Shri Dhruba Nanda, Dy. Director General (Engg.) | Doordarshan Kendra, Doordarshan Marg, Bhubaneswar- 751005. Tel. No. 0674- 2301178 | Sh. P. K. Subhash Addl. Director General Prog. | 5th, Floor, DG: Doordarshan, New Delhi Tel. No. 011-23381370 East Zone | In all matters viz. Engineering, News and Administration. Programme Wing. |
| 10 | Sh. M. Anandan, Deputy Director General Engg. Shri V. Karuppiah Dy. Director (AR) Shri N. Thennappan Asstt. Director News Shri V. Ramanna Asstt. Director Engg. Dr. R. K. Srinivasan Asstt. Director (Prog.) | Doordarshan Kendra, Swami Sivananda Salai, Chennai- 600005. Tel. No. 044-25361702 | Dr. Rajkumar Upadhyay Addl. Director General (Prog.) Doordarshan Kendra, J. C. Nagar, Bangalore-560006 Tel. No. 08023333831 | 022-24964832 South Zone | In all matters viz. Programme, Engineering, News and Administration. All Admn. Matters All News related Matters All Engg. Matters All Programme Matters |
| 11 | Ms. Sadhana Kumar Dy. Director General Engineer | Doordarshan Kendra, Sector-37B, Near Batra Cinema, Chandigarh- 36. Tel. No. 0171-2696600 | Sh. P. K. Subhash Addl. Director General (Prog.) Room No. 505 DG: Doordarshan New Delhi-01. | 011-23381370 North Zone | In all matters viz. Programme, Engineering, News and Administration. |

| SL. No. | Name of CPIO & Designation | Office Address & Telephone | F AA & Office Address/Zones | Phone No. | Subject Matter |
|---------|--|--|--|---|--|
| 12 | <p>Addl. Director General Prog.</p> <p>Sh. S.N. Singh Dy. Director General Engg.</p> | <p>Doordarshan Kendra, Copernicus Marg, New Dlehi-110001. Tel. No. 011-23097540</p> <p>DDK, Delhi Tel. No.23097586</p> | <p>Sh. P. K. Subhash Addl. Director General (Prog.) Room No. 505 DG: Doordarshan New Delhi-01.</p> | <p>011-23381370 North Zone</p> | <p>In all matters viz. Programme, News and Administration.</p> <p>Engineering,</p> |
| 13 | <p>Sh. S.K. Goel, Deputy Director Engineer</p> | <p>Doordarshan Kendra, Tapovan Marg, Dehradun-248008. Tel. No. 0135-2789060</p> | <p>Sh. P. K. Subhash Addl. Director General (Prog.) Room No. 505 DG: Doordarshan New Delhi-01.</p> | <p>011-23381370 North Zone</p> | <p>In all matters viz. Programme, Engineering, News and Administration.</p> |
| 14 | <p>Sh. Sumeet Kumar Singh Asstt. Engineer</p> | <p>Doordarshan Kendra, Milan Nagar, Dibrugarh-786003. Tel. No. 0373-2375378</p> | <p>Sh. P. K. Subhash Addl. Director General Prog.</p> | <p>5th, Floor, DG: Doordarshan, New Delhi Tel. No. 011-23381370 North East Zone</p> | <p>In all matters viz. Programme, Engineering, News and Administration.</p> |
| 15 | <p>Sh. R.K. Rao, Dy. Director Engineer</p> | <p>Doordarshan Kendra, Daltonganj, Palamau-822101. Tel. No. 06562-240279</p> | <p>Sh. P. K. Subhash Addl. Director General Prog.</p> | <p>5th, Floor, DG: Doordarshan, New Delhi Tel. No. 011-23381370 East Zone</p> | <p>In all matters viz. Programme, Engineering, News and Administration.</p> |
| 16 | <p>Sh. Suresh Panday Dy. Director Engg.</p> | <p>Doordarshan Kendra, Gwalior-474002. Tel. No. 0751-2230804</p> | <p>Shri P.K. Subhash Additional Director General (Programme), 5th Floor, DG: Doordarshan, Mandi House, New Delhi-110001.</p> | <p>011-23381370 Central Zone</p> | <p>In all matters viz. Programme, Engineering, News and Administration.</p> |
| 17 | <p>Sh. M. Snndrati Dy. Director Engg.</p> | <p>Doordarshan Kendra, R.G. Baruah Road, Guwahati-781024. Tel. No. 0361-2202401</p> | <p>Sh. P. K. Subhash Addl. Director General Prog.</p> | <p>5th, Floor, DG: Doordarshan, New Delhi Tel. No. 011-23381370 North East Zone</p> | <p>In all matters viz. Programme, Engineering, News and Administration.</p> |
| 18 | <p>Sh. Nand Kumar Singh, Dy. Director Engg.</p> | <p>Doordarshan Kendra, PPC, Doordarshan, R.G. Baruah Road, Guwahati-781024. Tel. No. 0361-2203216</p> | <p>Sh. P. K. Subhash Addl. Director General Prog.</p> | <p>5th, Floor, DG: Doordarshan, New Delhi Tel. No. 011-23381370 North East Zone</p> | <p>In all matters viz. Programme, Engineering, News and Administration.</p> |

| SL. No. | Name of CPIO & Designation | Office Address & Telephone | F AA & Office Address/Zones | Phone No. | Subject Matter |
|---------|---|---|---|---|--|
| 19 | Sh. Rahul Singh, Assistant Director Programme | Doordarshan Kendra, Geeta Vatika, In front of Vishnu Mandir, Gorakhpur-273006. Tel. No. 0551-2281981 | Shri P.K. Subhash Additional Director General (Programme), 5th Floor, DG: Doordarshan, Mandi House, New Delhi-110001. | 011-23381370 Central Zone | In all matters viz. Programme, Engineering, News and Administration. |
| 20 | Sh. Sukumar Patel Director Engineer | Doordarshan Kendra, Altinho, Panaji-403001. Tel. No.0832-2223413 | Shri M.S. Thomas Additional Director General (Programme) (West Zone), Marketing Division (West Zone) Doordarshan Kendra Worli, Mumbai- 400030. | 022-24964832 West Zone | In all matters viz. Programme, Engineering, News and Administration. |
| 21 | Sh. B.B. Turkar Dy. Director (Engg.) | Doordarshan Kendra, TV Tower, Jail Dara Gangtok-7371103. Tel. No. 03592-202177 | Sh. P. K. Subhash Addl. Director General Prog. | 5th, Floor, DG: Doordarshan, New Delhi Tel. No. 011-23381370 North East Zone | In all matters viz. Programme, Engineering, News and Administration. |
| 22 | Sh. D.Ranganadham, Deputy Director General Engg. | Doordarshan Kendra, Ramanthapur, Hyderabad- 500013. Tel. No. 040-27038651 | Dr. Rajkumar Upadhyay Addl. Director General (Prog.) Doordarshan Kendra, J. C. Nagar, Bangalore-560006 Tel. No. 08023333831 | 022-24964832 South Zone | In all matters viz. Programme, Engineering, News and Administration. |
| 23 | Sh. Pratap Singh, Director Engg. | Doordarshan Kendra, Sector-13, Hissar-125005. Tel. No. 01662-249935 | Sh. P. K. Subhash Addl. Director General (Prog.) Room No. 505 DG: Doordarshan New Delhi-01. | 011-23381370 North Zone | In all matters viz. Programme, Engineering, News and Administration. |
| 24 | Sh. Hemant Noram Director Engineer | Doordarshan Kendra, Porompat, Imphal-795010. Tel. No. 0385- 2445825 | Sh. P. K. Subhash Addl. Director General Prog. | 5th, Floor, DG: Doordarshan, New Delhi Tel. No. 011-23381370 North East Zone | In all matters viz. Programme, Engineering, News and Administration. |
| 25 | Sh. S.K. Singh Dy. Director Engineer | Doordarshan Kendra, A.B. Road, Indore-452001. Tel. No. 0731-2403939 | Shri P.K. Subhash Additional Director General (Programme), 5th Floor, DG: Doordarshan, Mandi House, New Delhi-110001. | 011-23381370 Central Zone | In all matters viz. Programme, Engineering, News and Administration. |
| 26 | Sh. K. Morang Director Engg. Sh. Atanu Saikia, Asstt. Director Prog. | Doordarshan Kendra, Itanagar- 791111. Tel. No. 0360-2212382 DDK, Itanagar | Sh. P. K. Subhash Addl. Director General Prog. | 5th, Floor, DG: Doordarshan, New Delhi Tel. No. 011-23381370 North East Zone | In all matters viz. Engineering, News and Administration. Programme |

| SL. No. | Name of CPIO & Designation | Office Address & Telephone | F AA & Office Address/Zones | Phone No. | Subject Matter |
|---------|--|--|--|---|--|
| 27 | Shri Ramesh Sharma Asstt. Director Prog. Shri H.P. Meena Director Tech. Shri M.K. Ranga Administrative Officer Shri Pertush Kumar Ghosh Asstt. Director News | Doordarshan Kendra, Jhalana Doongri, Jaipur-302004. Tel. No. 0141-2710331 | Sh. Sanjay Sethi, Deputy Director General (Engg.) | DDK, Jaipur | In all matters viz. News and Administration. Programme Wing. Engineering Matter Admn. Matter Matter related to News |
| 28 | Shri R.K. Jarangal Director (Engg.) | Doordarshan Kendra, Mahavir Marg, Jalandhar-144001. Tel. No. 0181-2254268 | Sh. P. K. Subhash Addl. Director General (Prog.) Room No. 505 DG: Doordarshan New Delhi-01. | 011-23381370 North Zone | In all matters viz. Programme, Engineering, News and Administration. |
| 29 | Sh. B.M. Verma, Deputy Director Engineer | Doordarshan Kendra, Jagdalpur. Tel. No. 07782-229015 | Shri P.K. Subhash Additional Director General (Programme), 5th Floor, DG: Doordarshan, Mandi House, New Delhi-110001. | 011-23381370 Central Zone | In all matters viz. Programme, Engineering, News and Administration. |
| 30 | Sh. Ravi Kumar, Deputy Director Engineer | Doordarshan Kendra, Jammu. Tel. No. 0191-2535641 | Sh. P. K. Subhash Addl. Director General (Prog.) Room No. 505 DG: Doordarshan New Delhi-01. | 011-23381370 North Zone | In all matters viz. Programme, Engineering, News and Administration. |
| 31 | Sh.A.K. Tiwari, Deputy Director Engineer | Doordarshan Kendra, J. Science College, Kohima-797002. Tel. No. 0370-2227030 | Sh. P. K. Subhash Addl. Director General Prog. | 5th, Floor, DG: Doordarshan, New Delhi Tel. No. 011-23381370 North East Zone | In all matters viz. Programme, Engineering, News and Administration. |
| 32 | Sh. B. Sudhakaran Dy. Director Engg. Shri K.T. Sivanandan Asstt. Director Prog. | Doordarshan Kendra, Kozhikode-673008. Tel. No. 0495-2352686 | Dr. Rajkumar Upadhyay Addl. Director General (Prog.) Doordarshan Kendra, J. C. Nagar, Bangalore-560006 Tel. No. 08023333831 | 022-24964832 South Zone | In all matters viz. Programme, Engineering, News and Administration. All Programme Matter |

| SL. No. | Name of CPIO & Designation | Office Address & Telephone | F AA & Office Address/Zones | Phone No. | Subject Matter |
|---------|--|---|---|---|---|
| 33 | Sh. Rajat Bose, Deputy Director General (Engg.) Shri Arunaba Roy Asstt. Director Prog. | Doordarshan Kendra, Kolkata-700095. Tel. No. 033-24235555, 24235113 | Sh. P. K. Subhash Addl. Director General Prog. | 5th, Floor, DG: Doordarshan, New Delhi Tel. No. 011-23381370 East Zone | In all matters viz. Engineering, News and Administration. All Programme Matter |
| 34 | Sh. P.P. Shukla, Deputy Director General (Engg.) | Doordarshan Kendra, Lucknow-226001. Tel. No. 0522-2205752 | Shri P.K. Subhash Additional Director General (Programme), 5th Floor, DG: Doordarshan, Mandi House, New Delhi-110001. | 011-23381370 Central Zone | In all matters viz. Programme, Engineering, News and Administration. |
| 35 | Smt. Raffat Saheen Deputy Director Prog. Adhoc | Doordarshan Kendra, DD Training Institute, 22, Ashok Marg, Lucknow-226001. Tel. No. 0522-2287061 | Shri P.K. Subhash Additional Director General (Programme), 5th Floor, DG: Doordarshan, Mandi House, New Delhi-110001. | 011-23381370 Central Zone | In all matters viz. Programme, Engineering, News and Administration. |
| 36 | Sh. P. Wangchuk, Asstt. Director Prog. | Doordarshan Kendra, Airport Road, Leh, Leh-194101. Tel. No. 01982-251977 | Sh. P. K. Subhash Addl. Director General (Prog.) Room No. 505 DG: Doordarshan New Delhi-01. | 011-23381370 North Zone | In all matters viz. Programme, Engineering, News and Administration. |
| 37 | Ms. Shipra Manaswita, Deputy Director General (Engg.) | Doordarshan Kendra, P.B. Marg, Worli, Mumbai-400030. Tel. No. 022-24949706 | Shri M.S. Thomas Additional Director General (Programme) (West Zone), Marketing Division (West Zone) Doordarshan Kendra Worli, Mumbai- 400030. | 022-24964832 West Zone | In all matters viz. Programme, Engineering, News and Administration. |
| 38 | Sh. P.C. Sharma, Dy. Director Engg. | Doordarshan Kendra, Mathura. Tel. No. 0565-2530940 | Shri P.K. Subhash Additional Director General (Programme), 5th Floor, DG: Doordarshan, Mandi House, New Delhi-110001. | 011-23381370 Central Zone | In all matters viz. Programme, Engineering, News and Administration. |
| 39 | Sh. Rahul Singh, Deputy Director Engineer | Doordarshan Kendra, Post Dumraon, Mau-275101. Tel. No. 0547-2860290 | Shri P.K. Subhash Additional Director General (Programme), 5th Floor, DG: Doordarshan, Mandi House, New Delhi-110001. | 011-23381370 Central Zone | In all matters viz. Programme, Engineering, News and Administration. |
| 40 | Sh. R. Sahani Asstt. Engg. | Doordarshan Kendra, Muzaffarpur-842001. Tel. No. 0621-2214185 | Sh. P. K. Subhash Addl. Director General Prog. | 5th, Floor, DG: Doordarshan, New Delhi Tel. No. 011-23381370 East Zone | In all matters viz. Programme, Engineering, News and Administration. |

| SL. No. | Name of CPIO & Designation | Office Address & Telephone | F AA & Office Address/Zones | Phone No. | Subject Matter |
|---------|---|---|---|---|--|
| 41 | Sh. A.R. Godpale, Assistant Director Engineer | Doordarshan Kendra, Seminary Hills, Nagpur-440006. Tel. No. 0712-2510935 | Shri M.S. Thomas Additional Director General (Programme) (West Zone), Marketing Division (West Zone) Doordarshan Kendra Worli, Mumbai- 400030. | 022-24964832 West Zone | In all matters viz. Programme, Engineering, News and Administration. |
| 42 | Sh. B. Srinivasa Rao Asstt. Director Engg. | Doordarshan Kendra, Gulbarga-585104. Tel. No. 08472-2457466 | Dr. Rajkumar Upadhyay Addl. Director General (Prog.) Doordarshan Kendra, J. C. Nagar, Bangalore-560006 Tel. No. 08023333831 | 022-24964832 South Zone | In all matters viz. Programme, Engineering, News and Administration. |
| 43 | Sh. D.K. Srivastava Dy. Director Engg. Sh. P.N. Singh, Deputy Director (Prog.) Dr. Ratna Purkayastha ADP Shri Shambhu Prasad Singh PEX | Doordarshan Kendra, Chhaubagh, Fraser Road, Patna- 800001. Tel. No. 0612-2227541 | Sh. P. K. Subhash Addl. Director General Prog. | 5th, Floor, DG: Doordarshan, New Delhi Tel. No. 011-23381370 East Zone | In all matters viz. Engineering, News and Administration. All Programme related matters All Administrative Related Matters |
| 44 | Sh. R.K. Jarangal Director Engg. | Doordarshan Kendra, Patiala. | Sh. P. K. Subhash Addl. Director General (Prog.) Room No. 505 DG: Doordarshan New Delhi-01. | 011-23381370 North Zone | In all matters viz. Programme, Engineering, News and Administration. |
| 45 | Sh. S. Chandra, Deputy Director Engineer | Doordarshan Kendra, Indira Nagar, Puducherry- 605006. Tel. No. 0413-2275000 | Dr. Rajkumar Upadhyay Addl. Director General (Prog.) Doordarshan Kendra, J. C. Nagar, Bangalore-560006 Tel. No. 08023333831 | 022-24964832 South Zone | In all matters viz. Programme, Engineering, News and Administration. |

| SL. No. | Name of CPIO & Designation | Office Address & Telephone | F AA & Office Address/Zones | Phone No. | Subject Matter |
|---------|---|--|---|---|--|
| 46 | Sh. P. K. Jha Deputy Director Engineer | Doordarshan Kendra, Delanpur, PB No. 691, Portblair- 744102. Tel. No. 03192-230797 | Dr. Rajkumar Upadhyay Addl. Director General (Prog.) Doordarshan Kendra, J. C. Nagar, Bangalore-560006 Tel. No. 08023333831 | 022-24964832 South Zone | In all matters viz. Programme, Engineering, News and Administration. |
| 47 | Sh. Kalpana V. Gokhe Director Engg. | Doordarshan Kendra, Near MIT Engg. College, Paud Road, Pune-411038. Tel. No. 020-25434064 | Shri M.S. Thomas Additional Director General (Programme) (West Zone), Marketing Division (West Zone) Doordarshan Kendra Worli, Mumbai- 400030. | 022-24964832 West Zone | In all matters viz. Programme, Engineering, News and Administration. |
| 48 | Sh. Sanjay Prasad, Director Engineer | Doordarshan Kendra, Shankar Nagar, Raipur-492007. Tel. No. 0771-2283852 | Shri P.K. Subhash Additional Director General (Programme), 5th Floor, DG: Doordarshan, Mandi House, New Delhi-110001. | 011-23381370 Central Zone | In all matters viz. Programme, Engineering, News and Administration. |
| 49 | Dr. S.A. Vora Asstt. Director Prog. | Doordarshan Kendra, Near Aji Dam, Bhavnagar, Rovfad, Rajkot-360003. Tel. No. 0281-2385602 | Shri M.S. Thomas Additional Director General (Programme) (West Zone), Marketing Division (West Zone) Doordarshan Kendra Worli, Mumbai- 400030 | 022-24964832 West Zone | In all matters viz. Engineering, News and. In all matters viz. Programme and Administration, |
| 50 | Sh. P.K. Jha Deputy Director Prog. Sh. Chandrashekhar Dy. Director Engg. | Doordarshan Kendra, Ratu Road, Ranchi-834001. Tel. No.0651-2284969, 09431969779, 09835530047, | Sh. P. K. Subhash Addl. Director General Prog. | 5th, Floor, DG: Doordarshan, New Delhi Tel. No. 011-23381370 East Zone | In all matters viz. Programme, News and Administration. Engineering matters |
| 51 | Sh. M. K. Das Dy. Director Engg. | Doordarshan Kendra, Sambalpur-768001. Tel. No. 0663-2400492 | Sh. P. K. Subhash Addl. Director General Prog. | 5th, Floor, DG: Doordarshan, New Delhi Tel. No. 011-23381370 East Zone | In all matters viz. Programme, Engineering, News and Administration. |
| 52 | Sh. Bijan Kumar Das, Director Engineer | Doordarshan Kendra, Shantinekatan-731235. Tel. No. 03463-252953 | Sh. P. K. Subhash Addl. Director General Prog. | 5th, Floor, DG: Doordarshan, New Delhi Tel. No. 011-23381370 East Zone | In all matters viz. Programme, Engineering, News and Administration. |

| SL. No. | Name of CPIO & Designation | Office Address & Telephone | F AA & Office Address/Zones | Phone No. | Subject Matter |
|---------|---|---|--|---|---|
| 53 | Sh. Vikas Kumar Bhatt Deputy Director Engg. | Doordarshan Kendra, Ambedkar Chowk, Shimla-171004. Tel. No. 0177-2811450, 2807267 | Sh. P. K. Subhash Addl. Director General (Prog.) Room No. 505 DG: Doordarshan New Delhi-01. | 011-23381370 North Zone | In all matters viz. Programme, Engineering, News and Administration. |
| 54 | Sh. E. Sidheeque Dy. Director Engg. | Doordarshan Kendra, Tarapur, Malihi Bill Silchar- 788003. Tel. No. 03842-231751 | Sh. P. K. Subhash Addl. Director General Prog. | 5th, Floor, DG: Doordarshan, New Delhi Tel. No. 011-23381370 North East Zone | In all matters viz. Programme, Engineering, News and Administration. |
| 55 | Sh. T. Hymienta Director Engg. | Doordarshan Kendra, Laiatkar Peak, Shillong. Tel. No. 0364-2580312 | Sh. P. K. Subhash Addl. Director General Prog. | 5th, Floor, DG: Doordarshan, New Delhi Tel. No. 011-23381370 North East Zone | In all matters viz. Programme, Engineering, News and Administration. |
| 56 | Head of office | Doordarshan Kendra, Jalpaigudi, Siliguri-734218. Tel. No. 0353-256804 | Sh. P. K. Subhash Addl. Director General Prog. | 5th, Floor, DG: Doordarshan, New Delhi Tel. No. 011-23381370 North East Zone | In all matters viz. Programme, Engineering, News and Administration. |
| 57 | Sh. Dy. Director General (Engg.) Sh. G.D. Tahir Asstt. Director prog. | Doordarshan Kendra, Srinagar-190001. Tel. No. 194-2452018, 2480698 DDK, Srinagar | Sh. P. K. Subhash Addl. Director General Prog. | 5th, Floor, DG: Doordarshan, New Delhi Tel. No. 011-23381370 North Zone | In all matters viz. Engineering, News and Administration. All Programme related matters |
| 58 | Sh. S. Krishna Das Deputy Director General Engg. Shri K. Jyothish Kumar Asstt. Director Prog. | Doordarshan Kendra, Thiruvanthapuram-695043 Tel. No. 0471-2730128 | Dr. Rajkumar Upadhyay Addl. Director General (Prog.) Doordarshan Kendra, J. C. Nagar, Bangalore-560006 Tel. No. 08023333831 | 022-24964832 South Zone | In all matters viz. Programme, Engineering, News and Administration. All Programme Matter |

| SL. No. | Name of CPIO & Designation | Office Address & Telephone | F AA & Office Address/Zones | Phone No. | Subject Matter |
|---------|---|--|--|---|--|
| 59 | Sh. V. Ramanna Deputy Director Engineer | Doordarshan Kendra, W.G.Hills, Tura-794001. Tel. No. 03651-232891 | Sh. P. K. Subhash Addl. Director General Prog. | 5th, Floor, DG: Doordarshan, New Delhi Tel. No. 011-23381370 North East Zone | In all matters viz. Programme, Engineering, News and Administration. |
| 60 | Sh. Y. Seetharaman Dy. Director Engg. | Doordarshan Kendra, Tirupati. | Dr. Rajkumar Upadhyay Addl. Director General (Prog.) Doordarshan Kendra, J. C. Nagar, Bangalore-560006 Tel. No. 08023333831 | 022-24964832 South Zone | In all matters Viz Programme, Engineering, News and Administration. |
| 61 | Sh.N.Mohan Krishan Cameramen Grade I | Doordarshan Kendra, Thrissur-680010. Tel. No. 0487-2330368 | Dr. Rajkumar Upadhyay Addl. Director General (Prog.) Doordarshan Kendra, J. C. Nagar, Bangalore-560006 Tel. No. 08023333831 | 022-24964832 South Zone | In all matters viz. Programme, Engineering, News and Administration. |
| 62 | Sh. R.M. Mishra Deputy Director Engineer | Doordarshan Kendra, Varanasi-221002. Tel. No. 0542-2500040 | Shri P.K. Subhash Additional Director General (Programme), 5th Floor, DG: Doordarshan, Mandi House, New Delhi-110001. | 011-23381370 Central Zone | In all matters viz. Programme, Engineering, News and Administration. |
| 63 | Sh. N. Madhav Reddy Deputy Director General Engg. | Doordarshan Kendra, Thota, Opp. TTD, Vijaywada- 520010. Tel. No. 0866-2477924 | Dr. Rajkumar Upadhyay Addl. Director General (Prog.) Doordarshan Kendra, J. C. Nagar, Bangalore-560006 Tel. No. 08023333831 | 022-24964832 South Zone | In all matters viz. Programme, Engineering, News and Administration. |
| 64 | Sh. Anindya Sengutpa Director Admn. | Doordarshan News, Phase-II, Doordarshan Bhawan, Mandhi House , New Delhi-110001. | Sh. Ashok Gupta Additional Director General (Admn.) Doordarshan Bahwan, Phase-II, Mandi House, New Delhi -110001. | 011-23097603 | RNUs, including their Budget, Administration, HR including issues of Contractual, Casuals and Outsourced engages. Coordination, Public Grievances and VIP references, Legal and RTI matters. Accounts, Commercial Marketing & Channel Promotion. |

| SL. No. | Name of CPIO & Designation | Office Address & Telephone | F AA & Office Address/Zones | Phone No. | Subject Matter |
|---------|--|--|---|----------------------------|--|
| 65 | Ms. Shobha Gupta Director (Aadm.) | Doordarshan News, Phase-II, Mandi House, New Delhi-110001. | Ms. Priya Kumar , Additional Director General Doordarshan Bahwan, Phase-II, Mandi House, New Delhi -110001. Tel. No. 011-23097641 | 011-23097641 | RNUs, including their Budget, Administration, HR including issues of Contractual, Casuals and Outsourced engages. Coordination, Public Grievances and VIP references, Legal and RTI matters. Accounts, Commercial Marketing & Channel Promotion. |
| 66 | Mrs. Kamal Wankhede, Deputy Director General | Marketing Division, (West Zone), Doordarshan Kendra, Worli, Mumbai-400030. Tel. No. 022- 24964832 | Shri M.S. Thomas Additional Director General (Programme) (West Zone), Marketing Division (West Zone) Doordarshan Kendra Worli, Mumbai- 400030. | 022-24964832 West Zone | In all matters viz. Programme, Engineering, News and Administration. |
| 67 | Smt. Andal Priyadarshini, Assistant Director Prog. | Doordarshan Kendra (PGF), Coimbatore. Tel. No. 0422-2215676 | Shri M.S. Thomas Additional Director General (Programme) (West Zone), Marketing Division (West Zone) Doordarshan Kendra Worli, Mumbai- 400030. | 022-24964832 West Zone | In all matters viz. Programme, Engineering, News and Administration. |
| 68 | Sh. C.L. Nandanpawar, Central Public Information Officer | Marketing Division Doordarshan Kendra, Mumbai-400025. Tel. No. 022-24965143 | Shri M.S. Thomas Additional Director General (Programme) (West Zone), Marketing Division (West Zone) Doordarshan Kendra Worli, Mumbai- 400030. | 022-24964832 West Zone | In all matters viz. Programme, Engineering, News and Administration. |
| 69 | Sh. B. Hari Singh Deputy Director Engg. | Doordarshan Kendra, Warangal-506001. Tel. No. 0870-2578834 | Dr. Rajkumar Upadhyay Addl. Director General (Prog.) Doordarshan Kendra, J. C. Nagar, Bangalore-560006 Tel. No. 08023333831 | 022-24964832 South Zone | In all matters viz. Programme, Engineering, News and Administration. |

APPELLATE AUTHORITY ALL ZONES.

| SL. No. | Name of First Appellate Authority & Designation | Office Address & Telephone No. | Information Commissioner | CIC, Office Address & Telephone No. | Subject Matter |
|----------------|--|--|---------------------------------|--|---|
| 1 | Ms. Priya Kumar , Additional Director General DD News | Doordarshan Bahwan, Phase-II, Mandi House, New Delhi -110001 011-23097603 | Information Commissioner | Central Information Commission August Kranti Bhawan, 2 nd Floor, Bhikaji Cama Place, New Delhi-66 Tel No. 011-26105682 | Doordarshan News Headquarter |
| 2 | Sh. P. K. Subhash Addl. Director General Prog. | 5th, Floor, DG: Doordarshan, New Delhi Tel. No. 011-23381370 North East Zone | Information Commissioner | Central Information Commission August Kranti Bhawan, 2 nd Floor, Bhikaji Cama Place, New Delhi-66 Tel No. 011-26105682 | Administrative matter relating to North East Zone. Assam, Meghalaya, Manipur, Mizoram, Nagaland, Tripura, Arunachal Pradesh and Sikkim. East Zone Doordarshan and AIR West Bengal, Orissa, Jharkhand and Bihar. |
| 3 | Sh. O.K. Sharma, Additional Director General (Engg.) (North Zone) | AIR & Doordarshan Jamnagar House Shahjahn Road, New Delhi 011-23385053 | Information Commissioner | Central Information Commission August Kranti Bhawan, 2 nd Floor, Bhikaji Cama Place, New Delhi-66 Tel No. 011-26105682 | Engineering matters relating to North Zone. |
| 4 | Sh. A.K. Singh, Additional Director General (Engg.) (North Zone) | AIR & Doordarshan Jamnagar House Shahjahn Road, New Delhi 011-23389374 | Information Commissioner | Central Information Commission August Kranti Bhawan, 2 nd Floor, Bhikaji Cama Place, New Delhi-66 Tel No. 011-26105682 | Engineering matters relating to North Zone. |
| 5 | Sh. A. K. Singh, Additional Director General (Engg.) (North Zone) | AIR & Doordarshan Jamnagar House Shahjahn Road, New Delhi 011-23381924 | Information Commissioner | Central Information Commission August Kranti Bhawan, 2 nd Floor, Bhikaji Cama Place, New Delhi- 110066 Tel No. 011- 26105682 | Engineering matters relating to North Zone. |

| SL. No. | Name of First Appellate Authority & Designation | Office Address & Telephone No. | Information Commissioner | CIC, Office Address & Telephone No. | Subject Matter |
|----------------|---|---|---------------------------------|--|--|
| 6 | Sh. S. Ramachandran Additional Director General (Engg.) (Sought Zone, | AIR & Doordarshan Swami Sivananda Salai Chennai- 600005 044-25383173 | Information Commissioner | Central Information Commission August Kranti Bhawan, 2 nd Floor, Bhikaji Cama Place, New Delhi- 110066 Tel No. 011- 26105682 | Engineering matters relating to South Zone. |
| 7 | Sh. N.Thiyagarajan, Additional Director Genearel (Engg.) (Sought Zone) | AIR & Doordarshan Swami Sivananda Salai Chennai- 600005 044-25360974 | Information Commissioner | Central Information Commission August Kranti Bhawan, 2 nd Floor, Bhikaji Cama Place, New Delhi- 110066 Tel .26105682 | Engineering matters relating to South Zone. |
| 8 | Sh. M.S. Thomas Addl. Director General (Engg.) (West Zone) | AIR & DD 101, M.K. Road, Old CGO Building, Mumbai- 400020 022-22014287 | Information Commissioner | Central Information Commission August Kranti Bhawan, 2 nd Floor, Bhikaji Cama Place, New Delhi- 110066 Tel No. 011- 26105682 | Matter related to:- West Zone, Maharashtra, Gujrat, Goa, Dadar Nagar Haveli, Daman & Diu. South Zone Tamil Nadu, Pondicherry, Andhra Pradesh, Karnataka, Kerala, Lakshadeep and Andaman & Nicobar Islands. |
| 9 | Sh. S.K. Arora, Additional Director General (Engg.) (West Zone | AIR & Doordarshan 101, M.K. Road, Old CGO Building, Mumbai- 400020 022-22017049 | Information Commissioner | Central Information Commission August Kranti Bhawan, 2 nd Floor, Bhikaji Cama Place, New Delhi- 110066 Tel No. 011- 26105682 | Engineering matters relating to West Zone. |
| 10 | Sh. P. K. Subhash Addl. Director General Prog. | 5th, Floor, DG: Doordarshan, New Delhi Tel. No. 011-23381370 North East Zone | Information Commissioner | Central Information Commission August Kranti Bhawan, 2 nd Floor, Bhikaji Cama Place, New Delhi- 110066 Tel No. 011- 26105682 | Engineering matters relating to East Zone. |

| SL. No. | Name of First Appellate Authority & Designation | Office Address & Telephone No. | Information Commissioner | CIC, Office Address & Telephone No. | Subject Matter |
|----------------|--|---|---------------------------------|---|--|
| 11 | Sh.P.P. Bhattacharyya, Additional Director General (Engg.) (NEZ) | AIR & Doordarshan Dr. P.Kakati's Building G.S. Road, Guwahati-781006 0361-2230338 | Information Commissioner | Central Information Commission August Kranti Bhawan, 2 nd Floor, Bhikaji Cama Place, New Delhi-110066 Tel No. 011-2610568 | Engineering matters relating to North East Zone. |
| 12 | Sh. P. K. Subhash Addl. Director General Prog. | 5th, Floor, DG: Doordarshan, New Delhi Tel. No. 011-23381370 North East Zone | Information Commissioner | Central Information Commission August Kranti Bhawan, 2 nd Floor, Bhikaji Cama Place, New Delhi-110066 Tel No. 011-2610568 | Matter related to:- Central Zone, Madhya Pradesh, Chhattisgarh, Uttar Pradesh, Rajasthan, Delhi. |
| 13 | Sh. P.K. Subhash, Additional Director General (Programme) (North Zone) | Room No. 505 DG: Doordarshan New Delhi-01. 011-23381370 | Information Commissioner | Central Information Commission August Kranti Bhawan, 2 nd Floor, Bhikaji Cama Place, New Delhi-110066 Tel No. 011-26105682 | North Zone, Haryana, Uttarakhand, Chandigarh, Punjab, Himachal Pradesh & J&K |

CENTRAL PUBLIC INFORMATION OFFICER HEADS OF OFFICE OF ALL HIGH POWER TRANSMITTER (DOORDARSHAN)

| SL. No. | Name of CPIO & Designation | Office Address & Telephone | F AA & Office Address/Zones | Phone No. | Subject Matter |
|----------------|---|---|--|------------------|---|
| 1 | Sh. S.P. Jaiswal, Deputy Director Engineer | High Power Transmitter (HPT), Doordarshan Samsabad RD, Baroli Agra-282001. Tel. No. 0562-2870029 | First Appellate Authority (NZ) Office of ADG Engg. AIR & DD, Jam Nagar House, Shahjahn Road, New Delhi | 011-23389374 | In all matters viz. Engineering and Administration. |
| 2 | Sh. Gajendra Chauhan, Assistant Engineer | High Power Transmitter (HPT), Ajmer-305001. Tel. No. 0145-2429502 | First Appellate Authority (NZ) Office of ADG Engg. AIR & DD, Jam Nagar House, Shahjahn Road, New Delhi | 011-23389374 | In all matters viz. Engineering and Administration. |
| 3 | Sh. Gurbinder Singh, Station Engineer | High Power Transmitter (HPT), Amritsar-143001 Tel. No. 01832211814 | First Appellate Authority (NZ) Office of ADG Engg. AIR & DD, Jam Nagar House, Shahjahn Road, New Delhi | 011-23389374 | In all matters viz. Engineering and Administration. |
| 4 | Assistant Engineer | High Power Transmitter (HPT), Ambikapur-497001. Tel. No. 07774-230944 | First Appellate Authority (WZ) Office of ADG Engg. AIR & DD, 101, MK Road, Old CGO Building, Mumbai- 400020 | 022-22017049 | In all matters viz. Engineering and Administration. |
| 5 | Deputy Director Engineer | High Power Transmitter (HPT), Anantapur-515002. Tel. No. 08554-273470 | First Appellate Authority (SZ) Office of ADG Engg. AIR & DD, Swami Sivananda Salai, Chennai 600005. | 044-25383173 | In all matters viz. Engineering and Administration. |
| 6 | Sh. P.K. Lenka, Assistant Engineer | High Power Transmitter (HPT), Asansol-713304 Tel. No. 0341-2252679 | First Appellate Authority (EZ) Office of ADG Engg. AIR & DD, 18/3, US Sarani Golf Green, Kolkata- 700095. | 033-24235037 | In all matters viz. Engineering and Administration. |
| 7 | Sh. J.S. Pathan, Dy. Director Engineer | High Power Transmitter (HPT), N-12, Manju Hills, Aurangabad- 431003. Tel. No. 0240- 2381350 | First Appellate Authority (WZ) Office of ADG Engg. AIR & DD, 101, MK Road, Old CGO Building, Mumbai- 400020 | 022-22017049 | In all matters viz. Engineering and Administration. |

| SL. No. | Name of CPIO & Designation | Office Address & Telephone | F AA & Office Address/Zones | Phone No. | Subject Matter |
|----------------|--|---|--|------------------|---|
| 8 | Sh. S.V. Chapale, Assistant Engineer | High Power Transmitter (HPT), Doordarshan Medical College Area Ambajogai-431517. Tel. No. 02446-247291 | First Appellate Authority (WZ) Office of ADG Engg. AIR & DD, 101, MK Road, Old CGO Building, Mumbai- 400020 | 022-22017049 | In all matters viz. Engineering and Administration. |
| 9 | Sh. Ghanshyam Gupta, Assistant Engineer | High Power Transmitter (HPT), Doordarshan 9, Nadira Nagar, Banda. Tel. No. 05192-220271 | First Appellate Authority (WZ) Office of ADG Engg. AIR & DD, 101, MK Road, Old CGO Building, Mumbai- 400020 | 022-22017049 | In all matters viz. Engineering and Administration. |
| 10 | Sh. L.K. Vyas, Deputy Director Engineer | High Power Transmitter (HPT), Doordarshan Mahaveer Nagar Barmer-344001. Tel. No. 02989224727 | First Appellate Authority (NZ) Office of ADG Engg. AIR & DD, Jam Nagar House, Shahjahn Road, N. D | 011-23389374 | In all matters viz. Engineering and Administration. |
| 11 | Sh. Sanjeev Kumar, Assistant Engineer | High Power Transmitter (HPT), Doordarshan Modal Town Bathinda-151001. Tel. No. 0164-2212813 | First Appellate Authority (NZ) Office of ADG Engg. AIR & DD, Jam Nagar House, Shahjahn Road, New Delhi | 011-23389374 | In all matters viz. Engineering and Administration. |
| 12 | Sh. R.C. Bhoi, Assistant Engineer | High Power Transmitter (HPT), Doordarshan Berhampur-760001. Tel. No. 0680-2224578 | First Appellate Authority (EZ) Office of ADG Engg. AIR & DD, 18/3, US Sarani Golf Green, Kolkata- 700095. | 033-24235037 | In all matters viz. Engineering and Administration. |
| 13 | Deputy Director Engineer | High Power Transmitter (HPT), Doordarshan, Bhuj-370001. Tel. No. 02832-25431 | First Appellate Authority (WZ) Office of ADG Engg. AIR & DD, 101, MK Road, Old CGO Building, Mumbai- 400020 | 022-22017049 | In all matters viz. Engineering and Administration. |
| 14 | DDE | High Power Transmitter (HPT), Doordarshan Bundi-323001. Tel. No. 0747-2443580 | First Appellate Authority (NZ) Office of ADG Engg. AIR & DD, Jam Nagar House, Shahjahn Road, New Delhi | 011-23389374 | In all matters viz. Engineering and Administration. |
| 15 | Sh. Dilip Kumar Das, Assistant Engineer | High Power Transmitter (HPT), Doordarshan, Balurghat. Tel. No. 03522-255781 | First Appellate Authority (EZ) Office of ADG Engg. AIR & DD, 18/3, US Sarani Golf Green, Kolkata- 700095. | 033-24235037 | In all matters viz. Engineering and Administration. |

| SL. No. | Name of CPIO & Designation | Office Address & Telephone | F AA & Office Address/Zones | Phone No. | Subject Matter |
|----------------|--|--|--|------------------|---|
| 16 | Assistant Engineer | High Power Transmitter (HPT), Doordarshan, Baleshwar. | | 9437247501 | In all matters viz. Engineering and Administration. |
| 17 | Sh. B. Sudhakaran, Deputy Director Engineer | High Power Transmitter (HPT), Doordarshan Mangattuparamba Cannore-4 Tel. No. 0497-2783700 | First Appellate Authority (SZ) Office of ADG Engg. (SZ) AIR &DD, Swami Sivananda Salai, Chennai- 600005 | 044-25360974 | In all matters viz. Engineering and Administration. |
| 18 | Sh. B. Sudhakaran, Deputy Director Engineer | High Power Transmitter (HPT), Doordarshan Calicut-673020. Tel. No. 0495-2357605 | First Appellate Authority (SZ) Office of ADG Engg. (SZ) AIR &DD, Swami Sivananda Salai, Chennai- 600005 | 044-25360974 | In all matters viz. Engineering and Administration. |
| 19 | Sh. P. Joy Singh, Assistant Engineer | High Power Transmitter (HPT), Doordarshan Churrachandpur- 795128 Tel. No. 03874-2233173 | First Appellate Authority (NEZ) office of ADG Engg. Dr. P. Kakati's Building G.S. Road, Guwahati-781006 | 0361-2230338 | In all matters viz. Engineering and Administration. |
| 20 | Ms. Indira Pattanaik, Assistant Engineer | High Power Transmitter (HPT), Doordarshan Tulsipur Cuttack- 753008. Tel. No. 0671-2300393 | First Appellate Authority (EZ) Office of ADG Engg. AIR & DD, 18/3, US Sarani Golf Green, Kolkata- 700095. | 033-24235037 | In all matters viz. Engineering and Administration. |
| 21 | Sh. Jose Paul, Deputy Director Engineer | High Power Transmitter (HPT), Doordarshan Cochin-682030. Tel. No. 0484-422266 | First Appellate Authority (SZ) Office of ADG Engg. (SZ) AIR &DD, Swami Sivananda Salai, Chennai- 600005 | 044-25360974 | In all matters viz. Engineering and Administration. |
| 22 | Sh. R.G. Chamte, Assistant Director Engineer | High Power Transmitter (HPT), Doordarshan, Chandrapur. Tel. No. 07172-276506 | First Appellate Authority (WZ) Office of ADG Engg. AIR & DD, 101, MK Road, Old CGO Building, Mumbai- 400020 | 022-22017049 | In all matters viz. Engineering and Administration. |
| 23 | Deputy Director Engineer | High Power Transmitter (HPT), Doordarshan, Dharwad-580008. Tel. No. 0836-2447866 | First Appellate Authority (SZ) Office of ADG Engg. (SZ) AIR &DD, Swami Sivananda Salai, Chennai- 600005 | 044-25360974 | In all matters viz. Engineering and Administration. |

| SL. No. | Name of CPIO & Designation | Office Address & Telephone | F AA & Office Address/Zones | Phone No. | Subject Matter |
|----------------|--|--|--|------------------|---|
| 24 | Sh. Adhimoolamg, Assistant Engineer | High Power Transmitter (HPT), Doordarshan, Dharmapuri. Tel. | First Appellate Authority (SZ) Office of ADG Engg. (SZ) AIR &DD, Swami Sivananda Salai, Chennai- 600005 | 044-25360974 | In all matters viz. Engineering and Administration. |
| 25 | Sh. D.D. Parmar, Assistant Engineer | High Power Transmitter (HPT), Doordarshan, Dwarka-361335. Tel. No. 02892-234283 | First Appellate Authority (WZ) Office of ADG Engg. AIR & DD, 101, MK Road, Old CGO Building, Mumbai- 400020 | 022-22017049 | In all matters viz. Engineering and Administration. |
| 26 | Sh. Suman Yadav, Deputy Director General (Engg.) | High Power Transmitter (HPT), Doordarshan, TV Tower, Pitampura, Delhi-110034. Tel. No. 011-27315139 | First Appellate Authority (NZ) Office of ADG Engg. AIR & DD, Jam Nagar House, Shahjahn Road, New Delhi | 011-23389374 | In all matters viz. Engineering and Administration. |
| 27 | Sh. Parmanand, Asstt. Engineer | High Power Transmitter (HPT), Doordarshan Fazlika. Tel. No. 01638-262754 | First Appellate Authority (NZ) Office of ADG Engg. AIR & DD, Jam Nagar House, New Delhi | 011-23389374 | In all matters viz. Engineering and Administration. |
| 28 | Sh. Ram kalap Maurya, Asstt. Engineer | High Power Transmitter (HPT), Doordarshan, Faizabad. Tel. No. 05278-260864 | First Appellate Authority (NZ) Office of ADG Engg. AIR & DD, Jam Nagar House, Shahjahn Road, New Delhi | 011-23389374 | In all matters viz. Engineering and Administration. |
| 29 | Sh. S.K. Saxena, Deputy Director Engineer | High Power Transmitter (HPT), Doordarshan, Guna. Tel. No. 07542-268310 | First Appellate Authority (WZ) Office of ADG Engg. AIR & DD, 101, MK Road, Old CGO Building, Mumbai- 400020 | 022-22017049 | In all matters viz. Engineering and Administration. |
| 30 | Sh. Brij Mohan, Assistant Engineer | High Power Transmitter (HPT), Doordarshan, Gurez. Tel. No. 0194-2426878 | First Appellate Authority (NZ) Office of ADG Engg. AIR & DD, Jam Nagar House, Shahjahn Road, New Delhi | 011-23389374 | In all matters viz. Engineering and Administration. |

| SL. No. | Name of CPIO & Designation | Office Address & Telephone | F AA & Office Address/Zones | Phone No. | Subject Matter |
|----------------|--|--|--|------------------|---|
| 31 | Sh. Hemantha Raju, Assistant Engineer | High Power Transmitter (HPT), Doordarshan, Hassan-573201. Te. No. 08172-246133 | First Appellate Authority (SZ) Office of ADG Engg. (SZ) AIR & DD, Swami Sivananda Salai, Chennai- 600005 | 044-25360974 | In all matters viz. Engineering and Administration. |
| 32 | Sh. P.K. Patle, Deputy Director Engineer | High Power Transmitter (HPT), Doordarshan, Jabalpur-482001. Tel. No. 0761-2663117 | First Appellate Authority (WZ) Office of ADG Engg. AIR & DD, 101, MK Road, Old CGO Building, Mumbai- 400020 | 022-22017049 | In all matters viz. Engineering and Administration. |
| 33 | Sh. R.S. Ghule, Assistant Engineer | High Power Transmitter (HPT), Doordarshan, Jalgaon-425001. Tel. No. 02572-237622 | First Appellate Authority (WZ) Office of ADG Engg. AIR & DD, 101, MK Road, Old CGO Building, Mumbai- 400020 | 022-22017049 | In all matters viz. Engineering and Administration. |
| 34 | Sh. Ram Bihari Meena Deputy Director Engineer | High Power Transmitter (HPT), Doordarshan, Jaisalmer-345001. Tel. No. 02992-252265 | First Appellate Authority (NZ) Office of ADG Engg. AIR & DD, Jam Nagar House, Shahjahn Road, New Delhi | 011-23389374 | In all matters viz. Engineering and Administration. |
| 35 | Sh. S.K. Kewalia Assisnat Engineer | High Power Transmitter (HPT), Doordarshan, Masuriya Hills, Jodhpur Tel. No. 0291-2772892 | First Appellate Authority (NZ) Office of ADG Engg. AIR & DD, Jam Nagar House, Shahjahn Road, New Delhi | 011-23389374 | In all matters viz. Engineering and Administration. |
| 36 | Station Enginner | High Power Transmitter (HPT), Doordarshan, Jamshedpur. Tel. No. 0657-2340071 | First Appellate Authority (EZ) Office of ADG Engg. AIR & DD, 18/3, US Sarani Golf Green, Kolkata- 700095. | 033-24235037 | In all matters viz. Engineering and Administration. |
| 37 | Sh. Swatantra Singh, Deputy Director Engineer | High Power Transmitter (HPT), Doordarshan, 117/397,'O' Block, Geeta Nagar, Kanpur-208025. Tel. No. 0512-2505370 | First Appellate Authority (NZ) Office of ADG Engg. AIR & DD, Jam Nagar House, Shahjahn Road, New Delhi | 011-23389374 | In all matters viz. Engineering and Administration. |
| 38 | Ms. Champa Devi, Asstt. Engineer | High Power Transmitter (HPT), Doordarshan, Kasauli-173204. Tel. No. 01792-272148 | First Appellate Authority (NZ) Office of ADG Engg. AIR & DD, Jam Nagar House, Shahjahn Road, New Delhi | 011-23389374 | In all matters viz. Engineering and Administration. |

| SL. No. | Name of CPIO & Designation | Office Address & Telephone | F AA & Office Address/Zones | Phone No. | Subject Matter |
|----------------|--|---|--|------------------|---|
| 39 | Sh. Sat Pal, Dy. Director Engg. | High Power Transmitter (HPT), Doordarshan, Kathua-184104. Tel. No. 01922-237450 | First Appellate Authority (NZ) Office of ADG Engg. AIR & DD, Jam Nagar House, Shahjahn Road, New Delhi | 011-23389374 | In all matters viz. Engineering and Administration. |
| 40 | Sh. Dayashankar Prasad Assistant Engineer | High Power Transmitter (HPT), Doordarshan, Mirchaibari, Katihar-854106. Tel. No. 06452-249274 | First Appellate Authority (EZ) Office of ADG Engg. AIR & DD, 18/3, US Sarani Golf Green, Kolkata- 700095. | 033-24235037 | In all matters viz. Engineering and Administration. |
| 41 | Sh. R. Srinivasan, Deputy Director Engineer | High Power Transmitter (HPT), Doordarshan S.T. Marya's Road, Kodaikanal-624101. Tel. No. 04542-241026 | First Appellate Authority (SZ) Office of ADG Engg. (SZ) AIR &DD, Swami Sivananda Salai, Chennai- 600005 | 044-25360974 | In all matters viz. Engineering and Administration. |
| 42 | Assistant Engineer | High Power Transmitter (HPT), Doordarshan, Karaikal Road, Srinivasanallu, Kumbakonam. Tel. No. 0435-2460165 | First Appellate Authority (SZ) Office of ADG Engg. (SZ) AIR &DD, Swami Sivananda Salai, Chennai- 600005 | 044-25360974 | In all matters viz. Engineering and Administration. |
| 43 | Sh. Kaleem Ahmed, Asstt. Engineer | High Power Transmitter (HPT), Doordarshan, Kurnool-518002. Tel. No. 08518-271222 | First Appellate Authority (SZ) Office of ADG Engg. (SZ) AIR &DD, Swami Sivananda Salai, Chennai- 600005 | 044-25360974 | In all matters viz. Engineering and Administration. |
| 44 | Sh. B.N. Chaudhary, Assistant Engineer | High Power Transmitter (HPT), Doordarshan, Kurseong-734203. Tel. No. 0354-2344207 | First Appellate Authority (EZ) Office of ADG Engg. AIR & DD, 18/3, US Sarani Golf Green, Kolkata- 700095. | 033-24235037 | In all matters viz. Engineering and Administration. |
| 45 | Sh. H.P. Meena, Dy. Director Engg. | High Power Transmitter (HPT), Doordarshan, Kupwara. Tel. No. 01955-252991 | First Appellate Authority (NZ) Office of ADG Engg. AIR & DD, Jam Nagar House, Shahjahn Road, New Delhi | 011-23389374 | In all matters viz. Engineering and Administration. |
| 46 | Sh. Balram Majhi, Assistant Engineer | High Power Transmitter (HPT), Doordarshan, Krishnanagar- 7411003. Tel. No. 03472-258444 | First Appellate Authority (EZ) Office of ADG Engg. AIR & DD, 18/3, US Sarani Golf Green, Kolkata- 700095. | 033-24235037 | In all matters viz. Engineering and Administration. |

| SL. No. | Name of CPIO & Designation | Office Address & Telephone | F AA & Office Address/Zones | Phone No. | Subject Matter |
|----------------|--|--|--|------------------|---|
| 47 | Sh. S.K. Dawar, Assistant Engineer | High Power Transmitter (HPT), Doordarshan, Karnal-132001. Tel. No. 184-2270470 | First Appellate Authority (NZ) Office of ADG Engg. AIR & DD, Jam Nagar House, Shahjahn Road, New Delhi | 011-23389374 | In all matters viz. Engineering and Administration. |
| 48 | Sh. Balram Mahi, Assistant Engineer | High Power Transmitter (HPT), Doordarshan, Kharagpur. Tel. No. 0322-2221140 | First Appellate Authority (EZ) Office of ADG Engg. AIR & DD, 18/3, US Sarani Golf Green, Kolkata- 700095. | 033-24235037 | In all matters viz. Engineering and Administration. |
| 49 | Sh. A.K. Singh Assistamt Engineer | High Power Transmitter (HPT), Doordarshan, Lakhimpur-Kheri. Tel. No. 0581-2511826 | First Appellate Authority (NZ) Office of ADG Engg. AIR & DD, Jam Nagar House, Shahjahn Road, New Delhi | 011-23389374 | In all matters viz. Engineering and Administration. |
| 50 | Sh. M. Sudhakar Balon, Assistant Engineer | High Power Transmitter (HPT), Doordarshan, Lunglei-796701. Tel. No. 0372-2324381 | First Appellate Authority (NEZ) Office of ADG Engg. AIR & DD,G.S. Road, Guwahati-781006 | 0361-2230338 | In all matters viz. Engineering and Administration. |
| 51 | Sh. M. Ramanna Nayak Asstt. Engineer | High Power Transmitter (HPT), Doordarshan, Mangalore-575028. Tel. No. 0824-2263388 | First Appellate Authority (SZ) Office of ADG Engg. (SZ) AIR &DD, Swami Sivananda Salai, Chennai- 600005 | 044-25360974 | In all matters viz. Engineering and Administration. |
| 52 | Smt. Nalini. T., Deputy Director Engineer | High Power Transmitter (HPT), Doordarshan, Mysore-570010. Tel. No. 0821-2590150 | First Appellate Authority (SZ) Office of ADG Engg. (SZ) AIR &DD, Swami Sivananda Salai, Chennai- 600005 | 044-25360974 | In all matters viz. Engineering and Administration. |
| 53 | Sh. D.P. Verma, Assistant Engineer | High Power Transmitter (HPT), Doordarshan, Mokochung. Tel. No. 0369-2228294 | First Appellate Authority (NEZ) Office of ADG Engg. AIR & DD,G.S. Road, Guwahati-781006 | 0361-2230338 | In all matters viz. Engineering and Administration. |
| 54 | Ms. Swapan Pal, Assistant Engineer | High Power Transmitter (HPT), Doordarshan, Murshidabad- 742101. Tel. No. 03482-257866 | First Appellate Authority (EZ) Office of ADG Engg. AIR & DD, 18/3, US Sarani Golf Green, Kolkata- 700095. | 033-24235037 | In all matters viz. Engineering and Administration. |

| SL. No. | Name of CPIO & Designation | Office Address & Telephone | F AA & Office Address/Zones | Phone No. | Subject Matter |
|----------------|--|---|--|------------------|---|
| 55 | Sh. Man Moha, Assistant Engineer | High Power Transmitter (HPT), Doordarshan, Mussoorie-248179. Tel. No. 0135-2632140 | First Appellate Authority (NZ) Office of ADG Engg. AIR & DD, Jam Nagar House, Shahjahn Road, New Delhi | 011-23389374 | In all matters viz. Engineering and Administration. |
| 56 | Sh. N.P. Rabhakar Reddy, Assistant Station Engineer | High Power Transmitter (HPT), Doordarshan, Nandyal-518502. Tel. No. 08514-242654 | First Appellate Authority (SZ) Office of ADG Engg. (SZ) AIR &DD, Swami Sivananda Salai, Chennai- 600005 | 044-25360974 | In all matters viz. Engineering and Administration. |
| 57 | Sh. Jag Jivan Ram, Station Engineer | High Power Transmitter (HPT), Doordarshan, Naushera. Tel. No. 01960-230858 | First Appellate Authority (NZ) Office of ADG Engg. AIR & DD, Jam Nagar House, Shahjahn Road, New Delhi | 011-23389374 | In all matters viz. Engineering and Administration. |
| 58 | Sh. C.M. Shukla, Assistant Station Engineer | High Power Transmitter (HPT), Doordarshan Poonch. Tel. No. 01962-264513 | First Appellate Authority (NZ) Office of ADG Engg. AIR & DD, Jam Nagar House, Shahjahn Road, New Delhi | 011-23389374 | In all matters viz. Engineering and Administration. |
| 59 | Sh. E. Ravi Kumar, Station Engineer | High Power Transmitter (HPT), Doordarshan, Rajamundry- 533106. Tel. No. 0883-2441857 | First Appellate Authority (SZ) Office of ADG Engg. (SZ) AIR &DD, Swami Sivananda Salai, Chennai- 600005 | 044-25360974 | In all matters viz. Engineering and Administration. |
| 60 | Sh. P. Veerabhadru, Assistant Engineer | High Power Transmitter (HPT), Doordarhsna, Raichur. Tel. NO. 08532-233960 | First Appellate Authority (SZ) Office of ADG Engg. (SZ) AIR &DD, Swami Sivananda Salai, Chennai- 600005 | 044-25360974 | In all matters viz. Engineering and Administration. |
| 61 | Sh. Navneet Krishan Deputy Director Engineer | High Power Transmitter (HPT), Doordarshan, Rameshwaram- 623536 Tel. No. 04573-222005 | First Appellate Authority (SZ) Office of ADG Engg. (SZ) AIR &DD, Swami Sivananda Salai, Chennai- 600005 | 044-25360974 | In all matters viz. Engineering and Administration. |
| 62 | Sh. S.S. Rajane, Assistant Engineer | High Power Transmitter (HPT), Doordarshan, Ratnagiri. Tel. No. 02352-223016 | First Appellate Authority (WZ) Office of ADG Engg. AIR & DD, 101, MK Road, Old CGO Building, Mumbai- 400020 | 022-22017049 | In all matters viz. Engineering and Administration. |

| SL. No. | Name of CPIO & Designation | Office Address & Telephone | F AA & Office Address/Zones | Phone No. | Subject Matter |
|----------------|---|--|--|------------------|---|
| 63 | Sh. J.P. Angurana Asstt. Director Engineer | High Power Transmitter (HPT), Doordarshan Border Road, Samba. Tel. No. 01923-217216 | First Appellate Authority (NZ) Office of ADG Engg. AIR & DD, Jam Nagar House, Shahjahn Road, New Delhi | 011-23389374 | In all matters viz. Engineering and Administration. |
| 64 | Sh. R.S. Tiger, Assistant Engineer | High Power Transmitter (HPT), Doordarshan, Shahdol-484001. Tel. No. 07650-242473 | First Appellate Authority (WZ) Office of ADG Engg. AIR & DD, 101, MK Road, Old CGO Building, Mumbai- 400020 | 022-22017049 | In all matters viz. Engineering and Administration. |
| 65 | Sh. R. Jeeva, Assistant Station Engineer | High Power Transmitter (HPT), Doordarshan, Shimoga-577203. Tel. No. 08182-240192 | First Appellate Authority (SZ) Office of ADG Engg. (SZ) AIR & DD, Swami Sivananda Salai, Chennai- 600005 | 044-25360974 | In all matters viz. Engineering and Administration. |
| 66 | Sh. B.S. Kazi, Assistant Engineer | High Power Transmitter (HPT), Doordarshan, Surat-394230. Tel. No. 0261-2395791 | First Appellate Authority (WZ) Office of ADG Engg. AIR & DD, 101, MK Road, Old CGO Building, Mumbai- 400020 | 022-22017049 | In all matters viz. Engineering and Administration. |
| 67 | Sh. V.Seetharam, Station Engineer | High Power Transmitter (HPT), Doordarshan, Tirupati-517501. Tel. No. 0877-2241619 | First Appellate Authority (SZ) Office of ADG Engg. (SZ) AIR & DD, Swami Sivananda Salai, Chennai- 600005 | 044-25360974 | In all matters viz. Engineering and Administration. |
| 68 | Sh. Bankey Lal Assistant Engineer | High Power Transmitter (HPT), Doordarshan, Tithwal. Tel. No. 0194-2426878 | First Appellate Authority (NZ) Office of ADG Engg. AIR & DD, Jam Nagar House, Shahjahn Road, New Delhi | 011-23389374 | In all matters viz. Engineering and Administration. |

| SL. No. | Name of CPIO & Designation | Office Address & Telephone | F AA & Office Address/Zones | Phone No. | Subject Matter |
|----------------|---|---|---|------------------|---|
| 69 | Sh. Shailesh Kanaje, Dy. Director Engineer | Doordarsha Ku-Band Earth Station, Todapur, New Delhi-110012. Tel. No 011-25842440 | First Appellate Authority (NZ) Office of ADG Engg. AIR & DD, Jam Nagar House, Shahjahn Road, New Delhi | 011-23389374 | In all matters viz. Engineering and Administration. |
| 70 | Sh. C. Subbarao, Deputy Director Engineer | High Power Transmitter (HPT), Doordarshan, Visakapatnam-530003. Tel. No. 0891-2549109 | First Appellate Authority (SZ) Office of ADG Engg. (SZ) AIR &DD, Swami Sivananda Salai, Chennai-600005 | 044-25360974 | In all matters viz. Engineering and Administration. |
| 71 | Sh. Virendra pandit Dy. Director Engg. | High Power Transmitter (HPT), Doordarshan, Vadodara (Baroda). Tel. No. 02668-290395 | First Appellate Authority (WZ) Office of ADG Engg. AIR & DD, 101, MK Road, Old CGO Building, Mumbai-400020 | 022-22017049 | In all matters viz. Engineering and Administration. |

CENTRAL PUBLIC INFORMATION OFFICER HEADS OF OFFICE OF ALL DOORDARSHAN MAINTENANCE CENTRE (DMCs)

| SL. No. | Name of CPIO & Designation | Office Address & Telephone | F AA & Office Address/Zones | Phone No. | Subject Matter |
|----------------|--|---|--|------------------|--|
| 1 | Ms. Asha Merchant, Asstt. Engineer | Doordarshan Maintenance Centre, Ahmedabad-380054. Tel. No. 079-26855212 | First Appellate Authority (WZ) Office of ADG Engg. AIR & DD, 101, MK Road, Old CGO Building, Mumbai- 400020 | 022-22017049 | In all matters viz. Engineering and 2Administration. |
| 2 | Sh. G.G. Vaidya, Asstt. Engineer | Doordarshan Maintenance Centre, Akola-444001. Tel. No. 0724-2451440 | First Appellate Authority (WZ) Office of ADG Engg. AIR & DD, 101, MK Road, Old CGO Building, Mumbai- 400020 | 022-22017049 | In all matters viz. Engineering and Administration. |
| 3 | Sh. Ashok Kumar, Director Engineer | Doordarshan Maintenance Centre, Almora-263601 Tel. No. 05962-233103 | First Appellate Authority (NZ) Office of ADG Engg. AIR & DD, Jam Nagar House, Shahjahn Road, New Delhi | 011-23389374 | In all matters viz. Engineering and Administration. |
| 4 | Sh. S.K. Saxena Deputy Director Engineer | Doordarshan Maintenance Centre, Mandi Road, Ashok Nagar. Tel. No. 07543-220398 | First Appellate Authority (WZ) Office of ADG Engg. AIR & DD, 101, MK Road, Old CGO Building, Mumbai- 400020 | 022-22017049 | In all matters viz. Engineering and Administration. |
| 5 | Sh. S.N. More, Asstt. Engg. | Doordarshan Maintenance Centre, Aurangabad-431003. Tel. No. 0240-2381408 | First Appellate Authority (WZ) Office of ADG Engg. Mumbai-400020 | 022-22017049 | In all matters viz. Engineering and Administration. |
| 6 | Sh. Rajat Kumar Rath Asstt. Director Engineer | Doordarshan Maintenance Centre, Baleshwar-756003. Tel No. 06782-261461 | First Appellate Authority (EZ) Office of ADG Engg. AIR & DD, 18/3, US Sarani Golf Green, Kolkata- 700095. | 033-24235037 | In all matters viz. Engineering and Administration. |
| 7 | Sh. P. Naik, Asstt. Engineer | Doordarshan Maintenance Centre, Bangalore-560001 Tel. No. 080-2330463, 23435778 | First Appellate Authority (SZ) Office of ADG Engg. (SZ) AIR &DD, Swami Sivananda Salai, Chennai- 600005 | 044-25360974 | In all matters viz. Engineering and Administration. |
| 8 | Sh. Virendra Pandit Deputy Director Engineer | Doordarshan Maintenance Centre, Amodar, Baroda-390019. Tel. No. 02668-290395 | First Appellate Authority (WZ) Office of ADG Engg. AIR & DD, 101, MK Road, Old CGO Building, Mumbai- 400020 | 022-22017049 | In all matters viz. Engineering and Administration. |

| SL. No. | Name of CPIO & Designation | Office Address & Telephone | F AA & Office Address/Zones | Phone No. | Subject Matter |
|----------------|--|---|--|------------------|---|
| 9 | Sh. H.N. Patel, Assistant Engineer | Doordarshan Maintenance Centre, A-51, Bhrubgupur Society, Bharuch-392002 Tel. No. 02642-228929 | First Appellate Authority (WZ) Office of ADG Engg. AIR & DD, 101, MK Road, Old CGO Building, Mumbai- 400020 | 022-22017049 | In all matters viz. Engineering and Administration. |
| 10 | Sh. C.R. Mehata, Deputy Director Engineer | Doordarshan Maintenance Centre, Bhavnagar-364001. Tel. No. 0278-2422415. | First Appellate Authority (WZ) Office of ADG Engg. AIR & DD, 101, MK Road, Old CGO Building, Mumbai- 400020 | 022-22017049 | In all matters viz. Engineering and Administration. |
| 11 | Sh. Ranjeet Meena, Director Engineer | Doordarshan Maintenance Centre, Bhilwara-311001. Tel. No. 01482-239508 | First Appellate Authority (NZ) Office of ADG Engg. AIR & DD, Jam Nagar House, Shahjahn Road, New Delhi | 011-23389374 | In all matters viz. Engineering and Administration. |
| 12 | Sh. P. K. Jha Dy. Director Engg. | Doordarshan Maintenance Centre, F-13, Nutan Colony, Bilaspur- 495001. Tel. No. 07752-254301 | First Appellate Authority (WZ) Office of ADG Engg. AIR & DD, 101, MK Road, Old CGO Building, Mumbai- 400020 | 022-22017049 | In all matters viz. Engineering and Administration. |
| 13 | Sh. P.S. Varakumar, Asstt. Engineer | Doordarshan Maintenance Centre, TVRC Building, Bijapur-586101. Tel. No. 08352-222731 | First Appellate Authority (SZ) Office of ADG Engg. (SZ) AIR & DD, Swami Sivananda Salai, Chennai- 600005 | 044-25360974 | In all matters viz. Engineering and Administration. |
| 14 | Sh. S Punita Ramani, Asstt. Engineer | Doordarshan Maintenance Centre, Cannanore-670563. Tel. No. 0497-2783700. | First Appellate Authority (EZ) Office of ADG Engg. AIR & DD, 18/3, US Sarani Golf Green, Kolkata- 700095. | 033-24235037 | In all matters viz. Engineering and Administration. |
| 15 | Sh. D.N. Barai Assistant Engi neer | Doordarshan Maintenance Centre, Chandrapur-442401. Tel. No. 07172-251424. | First Appellate Authority (WZ) Office of ADG Engg. Mumbai-400020 | 022-22017049 | In all matters viz. Engineering and Administration. |
| 16 | Sh. Jose Paul, Deputy Director Engineer | Doordarshan Maintenance Centre, P.O. CSEZ Cochi -682037. Tel. No. 0484-2411564 | First Appellate Authority (EZ) Office of ADG Engg. AIR & DD, 18/3, US Sarani Golf Green, Kolkata- 700095. | 033-24235037 | In all matters viz. Engineering and Administration. |

| SL. No. | Name of CPIO & Designation | Office Address & Telephone | F AA & Office Address/Zones | Phone No. | Subject Matter |
|----------------|---|---|--|------------------|---|
| 17 | Sh. S. Kalanchezhiyan, Dy. Director Engg. | Doordarshan Maintenance Centre, Sowbagya Nagar, Coimbatore- 641014. Tel. No. 0422-2592451 | First Appellate Authority (SZ) Office of ADG Engg. (SZ) AIR &DD, Swami Sivananda Salai, Chennai- 600005 | 044-25360974 | In all matters viz. Engineering and Administration. |
| 18 | Sh. B. Mohan Ram Jetty, Assistnat Station Engineer | Doordarshan Maintenance Centre, Yerramukkapalli, Cuddapah- 516004. Tel. No. 08562-255711 | First Appellate Authority (SZ) Office of ADG Engg. (SZ) AIR &DD, Swami Sivananda Salai, Chennai- 600005 | 044-25360974 | In all matters viz. Engineering and Administration. |
| 19 | Sh. Shankar Parmarik, Assistant Engineer | Doordarshan Maintenance Centre, Rock Ville Road, Darjeeing . 0354-2253138 | First Appellate Authority (EZ) Office of ADG Engg. AIR & DD, 18/3, US Sarani Golf Green, Kolkata- 700095. | 033-24235037 | In all matters viz. Engineering and Administration. |
| 20 | Sh. Laxman K. Tete, Deputy Director Engineer | Doordarshan Maintenance Centre, Dharamshala-176315. Tel. No. 01892-226917. | First Appellate Authority (NZ) Office of ADG Engg. AIR & DD, Jam Nagar House, Shahjahn Road, New Delhi | 011-23389374 | In all matters viz. Engineering and Administration. |
| 21 | Sh. A.P. Singh, Asstt. Director Engineer | Doordarshan Maintenance Centre, Kyola Nagar, Dhanbad-826005. Tel. No. 0326-2262539 | First Appellate Authority (EZ) Office of ADG Engg. AIR & DD, 18/3, US Sarani Golf Green, Kolkata- 700095. | 033-24235037 | In all matters viz. Engineering and Administration. |
| 22 | Sh. Samarjeet Singh, Asstt. Director Engineer | Doordarshan Maintenance Centre, Post Box No. 109, 4th Mile, Dimapur-797112. Tel. No. 03862-242708. | First Appellate Authority (EZ) Office of ADG Engg. AIR & DD, 18/3, US Sarani Golf Green, Kolkata- 700095. | 033-24235037 | In all matters viz. Engineering and Administration. |
| 23 | Sh. Pancham Singh Asstt. Engineer | Doordarshan Maintenance Centre, Civil Line, Etah-207001. Tel. No. 05742-232478 | First Appellate Authority (NZ) Office of ADG Engg. AIR & DD, Jam Nagar House, Shahjahn Road, New Delhi | 011-23389374 | In all matters viz. Engineering and Administration. |

| SL. No. | Name of CPIO & Designation | Office Address & Telephone | F AA & Office Address/Zones | Phone No. | Subject Matter |
|----------------|--|---|--|------------------|---|
| 24 | Sh. S.K. Sharma Asstt. Director Engg. | Doordarshan Maintenance Centre, 12, Anupam Nagar, Gwalior. Tel. No. 0751-2341740 | First Appellate Authority (WZ) Office of ADG Engg. AIR & DD, 101, MK Road, Old CGO Building, Mumbai- 400020 | 022-22017049 | In all matters viz. Engineering and Administration. |
| 25 | Sh. K. Gopakumar Deputy Director Engineer | Doordarshan Maintenance Centre, Guwahati-781021 Tel. No. 0361-2417221 | First Appellate Authority (EZ) Office of ADG Engg. AIR & DD, 18/3, US Sarani Golf Green, Kolkata- 700095. | 033-24235037 | In all matters viz. Engineering and Administration. |
| 26 | Sh. M. Someshwar Rao Deputy Director Engineer | Doordarshan Maintenance Centre, Guntur. Tel. No. 0861-2331742 | First Appellate Authority (SZ) Office of ADG Engg. (SZ) AIR & DD, Swami Sivananda Salai, Chennai- 600005 | 044-25360974 | In all matters viz. Engineering and Administration. |
| 27 | Sh. P. K. Rawat Asstt. Engg. | Doordarshan Maintenance Centre, Arya Nagar, Haridwar. Tel. No. 0133-2454326. | First Appellate Authority (NZ) Office of ADG Engg. AIR & DD, Jam Nagar House, Shahjahn Road, New Delhi | 011-23389374 | In all matters viz. Engineering and Administration. |
| 28 | Sh. Rajpal Mittal, Assistant Director Engineer | Doordarshan Maintenance Centre, Near City Thana, Hissar-125001. Tel. No. 01662-232613 | First Appellate Authority (NZ) Office of ADG Engg. AIR & DD, Jam Nagar House, Shahjahn Road, New Delhi | 011-23389374 | In all matters viz. Engineering and Administration. |
| 29 | Sh. R.K. Ekbote Asstt. Engg. | Doordarshan Maintenance Centre, Patel Nagar, Hospet-583201. Tel. No. 08394-228494 | First Appellate Authority (SZ) Office of ADG Engg. (SZ) AIR & DD, Swami Sivananda Salai, Chennai- 600005 | 044-25360974 | In all matters viz. Engineering and Administration. |
| 30 | Sh. P.S. Varakumar Asstt. Engg. | Doordarshan Maintenance Centre, TVRC Building, Bijapur-586101. Tel. No. 08352-222731 | First Appellate Authority (EZ) Office of ADG Engg. AIR & DD, 18/3, US Sarani Golf Green, Kolkata- 700095. | 033-24235037 | In all matters viz. Engineering and Administration. |
| 31 | Sh. Sunil Ekka, Asstt. Engineer | Doordarshan Maintenance Centre, Hazaribagh. Tel. No. 06546-227122 | First Appellate Authority (EZ) Office of ADG Engg. AIR & DD, 18/3, US Sarani Golf Green, Kolkata- 700095. | 033-24235037 | In all matters viz. Engineering and Administration. |

| SL. No. | Name of CPIO & Designation | Office Address & Telephone | F AA & Office Address/Zones | Phone No. | Subject Matter |
|----------------|---|---|--|------------------|---|
| 32 | Sh. Hemant Noream Dy. Director Engineer | Doordarshan Maintenance Centre, Prompat, Imphal-795010. Tel. No. 0385-2228119 | First Appellate Authority (EZ) Office of ADG Engg. AIR & DD, 18/3, US Sarani Golf Green, Kolkata- 700095. | 033-24235037 | In all matters viz. Engineering and Administration. |
| 33 | Sh. K. Morang Dy. Director Engineer | Doordarshan Maintenance Centre, Itanagar-791111. Tel. No. 0360-2212730 | First Appellate Authority (EZ) Office of ADG Engg. AIR & DD, 18/3, US Sarani Golf Green, Kolkata- 700095. | 033-24235037 | In all matters viz. Engineering and Administration. |
| 34 | Sh. V.D. Kasture Asstt. Director Engineer | Doordarshan Maintenance Centre, Indore-452001. Tel. No. 0731-2404238 | First Appellate Authority (WZ) Office of ADG Engg. AIR & DD, 101, MK Road, Old CGO Building, Mumbai- 400020 | 022-22017049 | In all matters viz. Engineering and Administration. |
| 35 | Sh. K.N. Sasi, Dy. Director Engineer | Doordarshan Maintenance Centre, Dashmesh Colony, Suraj Gunj, Itarsi-461111. Tel. No. 07572-243357. | First Appellate Authority (WZ) Office of ADG Engg. AIR & DD, 101, MK Road, Old CGO Building, Mumbai- 400020 | 022-22017049 | In all matters viz. Engineering and Administration. |
| 36 | Sh. A.K. Lakhera Dy. Director Engineer | Doordarshan Maintenance Centre, Katanga, Jabalpur-482001. Tel. No. 0761-2663390 | First Appellate Authority (WZ) Office of ADG Engg. AIR & DD, 101, MK Road, Old CGO Building, Mumbai- 400020 | 022-22017049 | In all matters viz. Engineering and Administration. |
| 37 | Sh. Balbir Singh, Assistant Station Engineer | Doordarshan Maintenance Centre, (South) Jammu. Tel. No. 0191-2535296 | First Appellate Authority (NZ) Office of ADG Engg. AIR & DD, Jam Nagar House, Shahjahn Road, New Delhi | 011-23389374 | In all matters viz. Engineering and Administration. |
| 38 | Sh. Balbir Singh Assistant Station Engineer | Doordarshan Maintenance Centre, (North) Jammu. Tel. No. 0191-2535296 | First Appellate Authority (NZ) Office of ADG Engg. AIR & DD, Jam Nagar House, Shahjahn Road, New Delhi | 011-23389374 | In all matters viz. Engineering and Administration. |
| 39 | Sh. R.S. Ghule, Assistant Engineer | Doordarshan Maintenance Centre, NH-6, Bhusawal Road, Jalgaon- 425001. Tel. No. 0257-2237622 | First Appellate Authority (WZ) Office of ADG Engg. AIR & DD, 101, MK Road, Old CGO Building, Mumbai- 400020 | 022-22017049 | In all matters viz. Engineering and Administration. |

| SL. No. | Name of CPIO & Designation | Office Address & Telephone | F AA & Office Address/Zones | Phone No. | Subject Matter |
|---------|---|--|--|--------------|---|
| 40 | Sh. S.S. Sitaram, Assistant Engineer | Doordarshan Maintenance Centre, Aurobindo Nagar, Jaypore- 764001. Tel. No. 06854-251518 | First Appellate Authority (EZ) Office of ADG Engg. AIR & DD, 18/3, US Sarani Golf Green, Kolkata- 700095. | 033-24235037 | In all matters viz. Engineering and Administration. |
| 41 | Sh. Rajeev Panwar, Assistnat Engineer | Doordarshan Maintenance Centre, Jodhpur-342010. Tel. No. 0291-2545183 | First Appellate Authority (NZ) Office of ADG Engg. AIR & DD, Jam Nagar House, Shahjahn Road, New Delhi | 011-23389374 | In all matters viz. Engineering and Administration. |
| 42 | Sh. Narsaiah Aligeti Dy. Director Engineer | Doordarshan Maintenance Centre, Jorhat-785007. Tel. No. 0376-2330149 | First Appellate Authority (EZ) Office of ADG Engg. AIR & DD, 18/3, US Sarani Golf Green, Kolkata- 700095. | 033-24235037 | In all matters viz. Engineering and Administration. |
| 43 | Sh. V.B. Patel, Dy. Director Engineer | Doordarshan Maintenance Centre, 117/397, 'o' Block, Kanpur- 208025. Tel. No. 0512-2500372 | First Appellate Authority (NZ) Office of ADG Engg. AIR & DD, Jam Nagar House, Shahjahn Road, New Delhi | 011-23389374 | In all matters viz. Engineering and Administration. |
| 44 | Sh. St Paul, Dy. Director Engineer | Doordarshan Maintenance Centre, Kathua-184104. Tel. No. 01922-237451 | First Appellate Authority (NZ) Office of ADG Engg. AIR & DD, Jam Nagar House, Shahjahn Road, New Delhi | 011-23389374 | In all matters viz. Engineering and Administration. |
| 45 | Smt. N. Jayasree, Asstt. Engineer | Doordarshan Maintenance Centre, Karimangar-505001. Tel. No. 0878-2256616. | First Appellate Authority (SZ) Office of ADG Engg. (SZ) AIR &DD, Swami Sivananda Salai, Chennai- 600005 | 044-25360974 | In all matters viz. Engineering and Administration. |
| 46 | Sh. G.N. Morianty Asstt. Engineer | Doordarshan Maintenance Centre, Keonjhargarh-758001. Tel. No. 06766-258594. | First Appellate Authority (EZ) Office of ADG Engg. AIR & DD, 18/3, US Sarani Golf Green, Kolkata- 700095. | 033-24235037 | In all matters viz. Engineering and Administration. |
| 47 | Sh. S.S. Petker Asstt. Engineer | Doordarshan Maintenance Centre, Kolhapur-416003. Tel. No. 0231-2650715 | First Appellate Authority (WZ) Office of ADG Engg. AIR & DD, 101, MK Road, Old CGO Building, Mumbai- 400020 | 022-22017049 | In all matters viz. Engineering and Administration. |

| SL. No. | Name of CPIO & Designation | Office Address & Telephone | F AA & Office Address/Zones | Phone No. | Subject Matter |
|----------------|---|--|---|------------------|---|
| 48 | Sh. B.L. Meena, Director Engineer | Doordarshan Maintenance Centre, Nayapura, Kota-324001. Tel. No. 0744-2450211 | First Appellate Authority (NZ) Office of ADG Engg. AIR & DD, Jam Nagar House, Shahjahn Road, New Delhi | 011-23389374 | In all matters viz. Engineering and Administration. |
| 49 | Sh. Anil Kumar Asstt. Director Engineer | Doordarshan Maintenance Centre, Karnal-132001. Tel. No. 0184-2270470 | First Appellate Authority (NZ) Office of ADG Engg. AIR & DD, Jam Nagar House, Shahjahn Road, New Delhi | 011-23389374 | In all matters viz. Engineering and Administration. |
| 50 | Sh. O. Subramaniam Asstt. Engineer | Doordarshan Maintenance Centre, Kurnool-518005. Tel. No. 08518-250075 | First Appellate Authority (SZ) Office of ADG Engg. (SZ) AIR &DD, Swami Sivananda Salai, Chennai- 600005 | 044-25360974 | In all matters viz. Engineering and Administration. |
| 51 | Sh. H.P. Meena, Dy. Director Engineer | Doordarshan Manitenance Centre, Kupwara. Tel. No. 0194-2483873 | First Appellate Authority (NZ) Office of ADG Engg. AIR & DD, Jam Nagar House, Shahjahn Road, New Delhi | 011-23389374 | In all matters viz. Engineering and Administration. |
| 52 | Sh. K.K. Gupta Dy. Director Engineer | Doordarshan Maintenance Centre, Leh (North)-194101. Tel. No. 01982-252624. | First Appellate Authority (NZ) Office of ADG Engg. AIR & DD, Jam Nagar House, Shahjahn Road, New Delhi | 011-23389374 | In all matters viz. Engineering and Administration. |
| 53 | Sh. K.K. Gupta Dy. Director Engineer | Doordarshan Maintenance Centre, Leh (South). Tel. No. 01982-250165 | First Appellate Authority (NZ) Office of ADG Engg. AIR & DD, Jam Nagar House, Shahjahn Road, New Delhi | 011-23389374 | In all matters viz. Engineering and Administration. |
| 54 | Sh. J. Ravikantha Babu Dy. Director Engineer | Doordarshan Maintenance Centre, Mahabub Nagar-509001. Tel. No. 08542-220255 | First Appellate Authority (SZ) Office of ADG Engg. (SZ) AIR &DD, Swami Sivananda Salai, Chennai- 600005 | 044-25360974 | In all matters viz. Engineering and Administration. |
| 55 | Sh. Anil Kumar, Deputy Director Engineer | Doordarshan Maintenance Centre, Mandi-175001. Tel. No. 01905-222363 | First Appellate Authority (NZ) Office of ADG Engg. AIR & DD, Jam Nagar House, Shahjahn Road, New Delhi | 011-23389374 | In all matters viz. Engineering and Administration. |

| SL. No. | Name of CPIO & Designation | Office Address & Telephone | F AA & Office Address/Zones | Phone No. | Subject Matter |
|----------------|--|--|--|------------------|---|
| 56 | Sh. P.C. Sharma Asstt. Engineer | Doordarshan Maintenance Centre, Mathura-281004. Tel. No. 0565-2420604 | First Appellate Authority (NZ) Office of ADG Engg. AIR & DD, Jam Nagar House, Shahjahn Road, New Delhi | 011-23389374 | In all matters viz. Engineering and Administration. |
| 57 | Ms. V. Mathias Asstt. Engineer | Doordarshan Maintenance Centre, Mangalore-575058. Tel. No. 0824-2263888. | First Appellate Authority (SZ) Office of ADG Engg. (SZ) AIR &DD, Swami Sivananda Salai, Chennai- 600005 | 044-25360974 | In all matters viz. Engineering and Administration. |
| 58 | Sh. T. Nalini, Deputy Director Engineer | Doordarshan Maintenance Centre, AIR Compund, Mysore-570020. Tel. No. 0821-2515893 | First Appellate Authority (SZ) Office of ADG Engg. (SZ) AIR &DD, Swami Sivananda Salai, Chennai- 600005 | 044-25360974 | In all matters viz. Engineering and Administration. |
| 59 | Sh. A.R. Gadpale, Dy. Director Engineer | Doordarshan Maintenance Centre, Seminary Hills, Nagpur-440006. Tel. No. 0712-2510881 | First Appellate Authority (WZ) Office of ADG Engg. AIR & DD, 101, MK Road, Old CGO Building, Mumbai- 400020 | 022-22017049 | In all matters viz. Engineering and Administration. |
| 60 | Sh. S. P. Chekke Assistant Engineer | Doordarshan Maintenance Centre, 2nd Floor, Yadav Complex, Nanded-431605 Tel. No. 02462-268566 | First Appellate Authority (WZ) Office of ADG Engg. AIR & DD, 101, MK Road, Old CGO Building, Mumbai- 400020 | 022-22017049 | In all matters viz. Engineering and Administration. |
| 61 | Sh. M.M. Naik Asstt. Engineer | Doordarshan Maintenance Centre, Gangapur Road, Nasik-422013. Tel. No. 0253-2340706 | First Appellate Authority (WZ) Office of ADG Engg. AIR & DD, 101, MK Road, Old CGO Building, Mumbai- 400020 | 022-22017049 | In all matters viz. Engineering and Administration. |
| 62 | Sh. Ajay Kumar Sharma, Asstt. Enginner | Doordarshan Maintenance centre, Compound, Mallital, nanital- 263001 Tel. No. 05942-236288 | First Appellate Authority (NZ) Office of ADG Engg. AIR & DD, Jam Nagar House, Shahjahn Road, New Delhi | 011-23389374 | In all matters viz. Engineering and Administration. |
| 63 | Sh. Pawan Tuli Dy. Director Engineer | Doordarshan Maintenance centre, pathankot Tel. No. 0186-2224333 | First Appellate Authority (NZ) Office of ADG Engg. AIR & DD, Jam Nagar House, New Delhi | 011-23389374 | In all matters viz. Engineering and Administration. |

| SL. No. | Name of CPIO & Designation | Office Address & Telephone | F AA & Office Address/Zones | Phone No. | Subject Matter |
|----------------|--|---|--|------------------|---|
| 64 | Sh. V.S. Pushpwan Asstt. Engineer | Doordarshan Maintenance Centre, Pauri, Garhwal- 246001 Tel. No. 01368-223178 | First Appellate Authority (NZ) Office of ADG Engg. AIR & DD, Jam Nagar House, Shahjahn Road, New Delhi | 011-23389374 | In all matters viz. Engineering and Administration. |
| 65 | Sh. Partap Singh, Dy. Director Engg. | Doordarshan Maintenance centre, Pilani-333031 Tel. No. 01596-242444 | First Appellate Authority (NZ) Office of ADG Engg. AIR & DD, Jam Nagar House, Shahjahn Road, New Delhi | 011-23389374 | In all matters viz. Engineering and Administration. |
| 66 | Sh. A.N. Mohanan, Asstt. Engineer | Doordarshan Maintenance centre, Portblair-744103. Tel. No. 03192-229467 | First Appellate Authority (SZ) Office of ADG Engg. (SZ) AIR & DD, Swami Sivananda Salai, Chennai- 600005 | 044-25360974 | In all matters viz. Engineering and Administration. |
| 67 | Sh. Ramchander Dahiya Asstt. Engineer | Doordarshan Maintenance centre, Poonch Tel. No. 01962-264513 | First Appellate Authority (NZ) Office of ADG Engg. AIR & DD, Jam Nagar House, Shahjahn Road, New Delhi | 011-23389374 | In all matters viz. Engineering and Administration. |
| 68 | Sh. S.K. Devhare Deputy Director Engineer | Doordarshan Maintenance centre, 94-B, Sector-2 Geetanjali Nagar, Raipur-492007 Tel. No. 0771-2442468 | First Appellate Authority (WZ) Office of ADG Engg. AIR & DD, 101, MK Road, Old CGO Building, Mumbai- 400020 | 022-22017049 | In all matters viz. Engineering and Administration. |
| 69 | O.P. Bairwa Asstt. Engineer | Doordarshan Maintenance Centre, C-5/1, Rajkot-360003. Tel. No. 0281-2387357. | First Appellate Authority (WZ) Office of ADG Engg. AIR & DD, 101, MK Road, Old CGO Building, Mumbai- 400020 | 022-22017049 | In all matters viz. Engineering and Administration. |
| 70 | Sh. P.J. Soman Dy. Director Engineer | Doordarshan Maintenace Centre, Ratlam-457001 . Tel. No. 07412-235906 | First Appellate Authority (WZ) Office of ADG Engg. AIR & DD, 101, MK Road, Old CGO Building, Mumbai- 400020 | 022-22017049 | In all matters viz. Engineering and Administration. |
| 71 | Sh. P.M. Panda, Assistant Engineer | Doordarshan Maintenance Centre, C-674, Koelnagar, Rourkela- 769014. Tel. No. 0661-2473394. | First Appellate Authority (EZ) Office of ADG Engg. AIR & DD, 18/3, US Sarani Golf Green, Kolkata- 700095. | 033-24235037 | In all matters viz. Engineering and Administration. |

| SL. No. | Name of CPIO & Designation | Office Address & Telephone | F AA & Office Address/Zones | Phone No. | Subject Matter |
|----------------|---|--|--|------------------|---|
| 72 | Sh. M. Venkatesh Dy. Director Engg. | Doordarshan Maintenance Centre, 136-K, Nedunchalai Nagar, Salem-636005. Tel. No. 0663-2533045. | First Appellate Authority (SZ) Office of ADG Engg. (SZ) AIR & DD, Swami Sivananda Salai, Chennai- 600005 | 044-25360974 | In all matters viz. Engineering and Administration. |
| 73 | Sh. Samarjit Singha, Assistant Engineer | Doordarshan Maintenance Centre, Post Box No. 109, 4th Mile, Dimapur-797112. Tel. No. 03862-242708. | First Appellate Authority (EZ) Office of ADG Engg. AIR & DD, 18/3, US Sarani Golf Green, Kolkata- 700095. | 033-24235037 | In all matters viz. Engineering and Administration. |
| 74 | Sh. Rpnavranga, Assistant Engineer | Doordarshan Maintenance Centre, Shahdol-484001. Tel. No. 07652-248850 | First Appellate Authority (WZ) Office of ADG Engg. AIR & DD, 101, MK Road, Old CGO Building, Mumbai- 400020 | 022-22017049 | In all matters viz. Engineering and Administration. |
| 75 | Sh. S.R. Deshpande Asstt. Director Engineer, | Doordarshan Maintenance Centre, PWD, Quarters, Kumtha Naka, Solapur-413003. Tel. No. 0217-2600258, 0217- 2326144 | First Appellate Authority (WZ) Office of ADG Engg. AIR & DD, 101, MK Road, Old CGO Building, Mumbai- 400020 | 022-22017049 | In all matters viz. Engineering and Administration. |
| 76 | Sh. Vikash Bhatt Dy. Director Engineer | Doordarshan Maintenance Centre, Shimla-171004. Tel. No. 0177-2652973 | First Appellate Authority (NZ) Office of ADG Engg. AIR & DD, Jam Nagar House, Shahjahn Road, New Delhi | 011-23389374 | In all matters viz. Engineering and Administration. |
| 77 | Sh. V.C. Bharduaj, Asstt. Engineer | Doordarshan Maintenance Centre, Sri Ganganagar-335001. Tel. No. 0154-2441487 | First Appellate Authority (NZ) Office of ADG Engg. AIR & DD, Jam Nagar House, Shahjahn Road, New Delhi | 011-23389374 | In all matters viz. Engineering and Administration. |
| 78 | Sh. Balbir Singh Assistant Station Engineer | Doordarshan Maintenance Centre, (North) Jammu. Tel. No. 0194-2476064 | First Appellate Authority (NZ) Office of ADG Engg. AIR & DD, Jam Nagar House, Shahjahn Road, New Delhi | 011-23389374 | In all matters viz. Engineering and Administration. |
| 79 | Sh. Mirja Hussain Asstt. Engineer | Doordarshan Maintenance Centre, Srinagar (South). Tel. No. 0194-2483873 | First Appellate Authority (NZ) Office of ADG Engg. AIR & DD, Jam Nagar House, Shahjahn Road, New Delhi | 011-23389374 | In all matters viz. Engineering and Administration. |

| SL. No. | Name of CPIO & Designation | Office Address & Telephone | F AA & Office Address/Zones | Phone No. | Subject Matter |
|----------------|---|--|---|------------------|---|
| 80 | Smt. A. Mahalaxmi Asstt. Engineer | Doordarshan Maintenance Centre, Plot Nol 59, Nilagari, Rahuman Nagar, Thanjavour-613004. Tel. No. 04362-247373 | First Appellate Authority (SZ) Office of ADG Engg. (SZ) AIR &DD, Swami Sivananda Salai, Chennai-600005 | 044-25360974 | In all matters viz. Engineering and Administration. |
| 81 | Smt. A. Chitra, Deputy Director Engineer | Doordarshan Maintenance Centre, No. 1St Floor, Arabic College Road, Khaja Nahar, Tiruchirapalli-620020. Tel. No. 0431-2421336 | First Appellate Authority (SZ) Office of ADG Engg. (SZ) AIR &DD, Swami Sivananda Salai, Chennai-600005 | 044-25360974 | In all matters viz. Engineering and Administration. |
| 82 | Sh. D.G. Ghanaraj Deputy Director Engineer | Doordarshan Maintenance Centre, Pothole, Trichur-680004. Tel. No. 0487-2384051 | First Appellate Authority (SZ) Office of ADG Engg. (SZ) AIR &DD, Swami Sivananda Salai, Chennai-600005 | 044-25360974 | In all matters viz. Engineering and Administration. |
| 83 | Sh. Ravinder Dungerwd, Dy. Director Engineer | Doordarshan Maintenance Centre, 13, Ganesh Nagar, Udaipur-313001. Tel. No. 0294-2470335 | First Appellate Authority (NZ) Office of ADG Engg. AIR & DD, Jam Nagar House, Shahjahn Road, New Delhi | 011-23389374 | In all matters viz. Engineering and Administration. |
| 84 | Sh. S. Chinnaswamy Dy. Director Engg. | Doordarshan Maintenance Centre, Vellore-632006. Tel. No. 0416-2241428 | First Appellate Authority (SZ) Office of ADG Engg. (SZ) AIR &DD, Swami Sivananda Salai, Chennai-600005 | 044-25360974 | In all matters viz. Engineering and Administration. |
| 85 | Sh. E.B.R.L. Reddy Asstt. Director Engineer | Doordarshan Maintenance Centre, H.No. 29-148/A, Vikas Nagar, Warangal-506001. Tel. No. 0870-2555984 | First Appellate Authority (SZ) Office of ADG Engg. (SZ) AIR &DD, Swami Sivananda Salai, Chennai-600005 | 044-25360974 | In all matters viz. Engineering and Administration. |
| 86 | Sh. J. Krishna Rao, Deputy Director Engineer | Doordarshan Maintenance Centre, Balaji Hills, Vishakhapattnam-550013. Tel. No. 0891-2503155 | First Appellate Authority (SZ) Office of ADG Engg. (SZ) AIR &DD, Swami Sivananda Salai, Chennai-600005 | 044-25360974 | In all matters viz. Engineering and Administration. |

CENTRAL PUBLIC INFORMATION OFFICER HEADS OF OFFICE OF ALL Mkt DIVISIONS

| | | | | | |
|---|---|---|---|-------------------------------------|--|
| 1 | Sh. H. S. Saraswati Director Marketing | MKT, All India Radio & Doordarshan, AIR Complex, Rajbhavan Road, Bangalore- 560001. Tel. No. 080-22350171 | Addl. Director General (Prog.) Doordarshan Kendra, J. C. Nagar, Bangalore-560006 Tel. No. 08023333831 | 022-24964832 South Zone | In all matter related to MKT Bangalore. |
| 2 | Head of office | MKT.Prasar Bharati, Doordarshan Kendra, ASF Building, Worli, Mumbai-400030. Tel. No. 022-24905077 | Dy. Director General (Programme) (West Zone), Marketing Division (West Zone) DDK, Worli, Mumbai- 400030 | 022-24964832 West Zone | In all matter related to MKT Mumbai. |
| 3 | Sh. Sutpapa Duttagupta Director Prog. | MKT Doordarshan Bhawan, Iind Floor, 18/3, US Sarani, Kolkata- 700095. Tel. No. 033-24128916 | Additional Director General (North East Zone) PPC (Doordarshan) R.G. Baruah Road. Doordarshan Kendra, Guwahati. | 0361- 2202399/ 2202403 East Zone | In all matter related to MKT Kolkata. |

